Document 02010R0037-20141112

Title and reference

Commission Regulation (EU) No 37/2010 of 22 December 2009 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin (Text with EEA relevance)

Languages and formats available

Multilingual display

Language 1 English (en) Language 2 Please choose Language 3 Please choose

Text 2010R0037 — EN — 12.11.2014 — 014.001

This document is meant purely as a documentation tool and the institutions do not assume any liability for its contents

COMMISSION REGULATION (EU) No 37/2010

of 22 December 2009

on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin

(Text with EEA relevance)

(OJ L 015, 20.1.2010, p.1)

Official Journal

Amended by:

►B

			Omolai ocamai	
		No	page	date
►M1	COMMISSION REGULATION (EU) No 758/2010 of 24 August 2010	L 223	37	25.8.2010
M2	COMMISSION REGULATION (EU) No 759/2010 of 24 August 2010	L 223	39	25.8.2010
M3	COMMISSION REGULATION (EU) No 761/2010 of 25 August 2010	L 224	1	26.8.2010
►M4	COMMISSION REGULATION (EU) No 890/2010 of 8 October 2010	L 266	1	9.10.2010
M5	COMMISSION REGULATION (EU) No 914/2010 of 12 October 2010	L 269	5	13.10.2010
M6	COMMISSION REGULATION (EU) No 362/2011 of 13 April 2011	L 100	26	14.4.2011
►M7	COMMISSION REGULATION (EU) No 363/2011 of 13 April 2011	L 100	28	14.4.2011
►M8	COMMISSION IMPLEMENTING REGULATION (EU) No 84/2012 of 1 February 2012	L 30	1	2.2.2012
►M9	COMMISSION IMPLEMENTING REGULATION (EU) No 85/2012 of 1 February 2012	L 30	4	2.2.2012
►M10	COMMISSION IMPLEMENTING REGULATION (EU) No 86/2012 of 1 February 2012	L 30	6	2.2.2012
►M11	COMMISSION IMPLEMENTING REGULATION (EU) No 107/2012 of 8 February 2012	L 36	25	9.2.2012
►M12	COMMISSION IMPLEMENTING REGULATION (EU) No 122/2012 of 13 February 2012	L 40	2	14.2.2012
M13	COMMISSION IMPLEMENTING REGULATION (EU) No 123/2012 of 13 February 2012	L 40	4	14.2.2012
►M14	COMMISSION IMPLEMENTING REGULATION (EU) No 201/2012 of 8 March 2012	L 71	37	9.3.2012

	COMMISSION IMPLEMENTING REGULATION (EU) No 202/2012 of 8	L 71	40	9.3.2012
►M15	March 2012	L / I	40	9.3.2012
M16	COMMISSION IMPLEMENTING REGULATION (EU) No 221/2012 of 14 March 2012	L 75	7	15.3.2012
M17	COMMISSION IMPLEMENTING REGULATION (EU) No 222/2012 of 14 March 2012	L 75	10	15.3.2012
►M18	COMMISSION IMPLEMENTING REGULATION (EU) No 436/2012 of 23 May 2012	L 134	10	24.5.2012
M19	COMMISSION IMPLEMENTING REGULATION (EU) No 466/2012 of 1 June 2012	L 143	2	2.6.2012
►M20	COMMISSION IMPLEMENTING REGULATION (EU) No 1161/2012 of 7 December 2012	L 336	14	8.12.2012
►M21	COMMISSION IMPLEMENTING REGULATION (EU) No 1186/2012 of 11 December 2012	L 338	20	12.12.2012
►M22	COMMISSION IMPLEMENTING REGULATION (EU) No 1191/2012 of 12 December 2012	L 340	35	13.12.2012
►M23	COMMISSION IMPLEMENTING REGULATION (EU) No 59/2013 of 23 January 2013	L 21	21	24.1.2013
M24	COMMISSION IMPLEMENTING REGULATION (EU) No 115/2013 of 8 February 2013	L 38	11	9.2.2013
►M25	COMMISSION IMPLEMENTING REGULATION (EU) No 116/2013 of 8 February 2013	L 38	14	9.2.2013
►M26	COMMISSION IMPLEMENTING REGULATION (EU) No 394/2013 of 29 April 2013	L 118	17	30.4.2013
►M27	COMMISSION IMPLEMENTING REGULATION (EU) No 406/2013 of 2 May 2013	L 121	42	3.5.2013
►M28	COMMISSION IMPLEMENTING REGULATION (EU) No 489/2013 of 27 May 2013	L 141	4	28.5.2013
►M29	COMMISSION IMPLEMENTING REGULATION (EU) No 1056/2013 of 29 October 2013	L 288	60	30.10.2013
►M30	COMMISSION IMPLEMENTING REGULATION (EU) No 1057/2013 of 29 October 2013	L 288	63	30.10.2013
►M31	COMMISSION IMPLEMENTING REGULATION (EU) No 1235/2013 of 2 December 2013	L 322	21	3.12.2013
►M32	COMMISSION IMPLEMENTING REGULATION (EU) No 19/2014 of 10 January 2014	L 8	18	11.1.2014
►M33	COMMISSION IMPLEMENTING REGULATION (EU) No 20/2014 of 10 January 2014	L 8	20	11.1.2014
►M34	COMMISSION IMPLEMENTING REGULATION (EU) No 200/2014 of 3 March 2014	L 62	8	4.3.2014
►M35	COMMISSION IMPLEMENTING REGULATION (EU) No 201/2014 of 3 March 2014	L 62	10	4.3.2014
►M36	COMMISSION IMPLEMENTING REGULATION (EU) No 418/2014 of 24 April 2014	L 124	19	25.4.2014
►M37	COMMISSION IMPLEMENTING REGULATION (EU) No 676/2014 of 19 June 2014	L 180	5	20.6.2014
►M38	COMMISSION IMPLEMENTING REGULATION (EU) No 677/2014 of 19 June 2014	L 180	8	20.6.2014
►M39	COMMISSION IMPLEMENTING REGULATION (EU) No 681/2014 of 20 June 2014	L 182	11	21.6.2014
►M40	COMMISSION IMPLEMENTING REGULATION (EU) No 682/2014 of 20 June 2014	L 182	14	21.6.2014
►M41	COMMISSION IMPLEMENTING REGULATION (EU) No 683/2014 of 20 June 2014	L 182	17	21.6.2014
►M42	COMMISSION IMPLEMENTING REGULATION (EU) No 967/2014 of 12 September 2014	L 272	3	13.9.2014

Corrected by:

►C1 Corrigendum, OJ L 293, 11.11.2010, p. 72 (37/2010)

▼B

COMMISSION REGULATION (EU) No 37/2010

of 22 December 2009

on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin (Text with EEA relevance)

THE EUROPEAN COMMISSION,

Having regard to the Treaty on the Functioning of the European Union,

Having regard to Regulation (EC) No 470/2009 of the European Parliament and of the Council of 6 May 2009 laying down Community procedures for the establishment of residue limits of pharmacologically active substances in foodstuffs of animal origin, repealing Council Regulation (EEC) No 2377/90 and amending Directive 2001/82/EC of the European Parliament and of the Council and Regulation (EC) No 726/2004 of the European Parliament and of the Council (1), and in particular Article 27(1) thereof, Whereas:

- (1) In order to protect public health, pharmacologically active substances, on the basis of the scientific assessment of the safety of those substances, were classified in four Annexes to Council Regulation (EEC) No 2377/90 of 26 June 1990 laying down a Community procedure for the establishment of maximum residue limits of veterinary medicinal products in foodstuffs of animal origin (²). Annex I contained substances for which a maximum residue limit was established, Annex II contained substances for which it was not necessary to establish a maximum residue limit, Annex III contained substances for which a provisional maximum residue limit was established and Annex IV contained substances for which a maximum residue limit could not be established because residues of those substances, at whatever limit, constitute a hazard to human health.
- (2) For reasons of simplification, it is necessary to incorporate those pharmacologically active substances and their classification regarding maximum residue limits in a Commission Regulation. As this classification follows the classification system foreseen in Regulation (EC) No 470/2009, the classification should also be taken account of with regard to the possibility to administer those pharmacologically active substances to food-producing animals.
- (3) Existing information on the therapeutical classification of pharmacologically active substances contained in the Annexes to Regulation (EEC) No 2377/90 should be incorporated into a column on the therapeutical classification of substances.
- (4) For reasons of ease of use, all pharmacologically active substances should be listed in one Annex in alphabetical order. For reasons of clarity, two separate tables should be established: one for allowed substances, listed in Annexes I, II and III of Regulation (EEC) No 2377/90, and one for prohibited substances, listed on Annex IV to that Regulation.
- (5) Provisional maximum residue limits for pharmacologically active substances, laid down in Annex III to Regulation (EEC) No 2377/90 for which the period of application has ended, should not be incorporated into this Regulation.
- (6) The measures provided for in this Regulation are in accordance with the opinion of the Standing Committee on Veterinary Medicinal Products,

HAS ADOPTED THIS REGULATION:

Article 1

Pharmacologically active substances and their classification regarding maximum residue limits are set out in the Annex.

Article 2

This Regulation shall enter into force on the 20th day following its publication in the Official Journal of the European Union.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

ANNEX

Pharmacologically active substances and their classification regarding maximum residue limits (MRL)

Table 1

Allowed substances

Pharmacologically active Marker residue Substance

Animal Species MRL

Target Tissues Other Provisions (according to Article 14(7) of

Ī						Regulation (EC) No 470/2009)
	Abamectin	Avermectin B1a	Bovine	10 μg/kg 20 μg/kg	Fat Liver	NO ENTRY
			Ovine	20 µg/kg 50 µg/kg 25 µg/kg 20 µg/kg	Muscle Fat Liver Kidney	Not for use in animals from which milk is produced for human consumption.
	Absinthium extract	NOT APPLICABLE	All foo producing species	d No MRL required	NOT APPLICABLE	NO ENTRY
	Acetyl cysteine	NOT APPLICABLE	All foo producing species	d No MRL required	NOT APPLICABLE	NO ENTRY
	Acetylmethionine	NOT APPLICABLE	All foo producing species	d No MRL required	NOT APPLICABLE	NO ENTRY
	Acetylsalicylic acid	NOT APPLICABLE	All foo producing species except fi fish	required	NOT APPLICABLE	Not for use in animals from which milk or eggs are produced for human consumption.
	Acetylsalicylic acid DL- lysine	NOT APPLICABLE	All foo producing species except fi fish	required	NOT APPLICABLE	Not for use in animals from which milk or eggs are produced for human consumption.
	Adenosine and its 5'- mono-, 5'-di-and 5' triphosphates	NOT APPLICABLE	All foo producing species	d No MRL required	NOT APPLICABLE	NO ENTRY
	Adonis vernalis	NOT APPLICABLE	All foo producing species	d No MRL required	NOT APPLICABLE	For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias, at concentrations in the products not exceeding one part per hundred only.
	Aesculus hippocastanum	NOT APPLICABLE	All foo producing species	d No MRL required	NOT APPLICABLE	For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations in the products not exceeding

					one part per ten only.
Agnus castus	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding to the mother tincture and dilutions thereof only.
Ailanthus altissima	NOT APPLICABLE	All food producing species	No MRL required	APPLICABLE	For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding to the mother tincture and dilutions thereof only.
Alanine	NOT APPLICABLE	All food producing species		NOT APPLICABLE	NO ENTRY
Albendazole	Sum of albendazole sulphoxide, albendazole sulphone, and albendazole 2-amino sulphone, expressed as albendazole		100 μg/kg 100 μg/kg 1 000 μg/kg 500 μg/kg 100 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY
Albendazole oxide	Sum of albendazole oxide, albendazole sulphone, and albendazole 2-amino sulphone, expressed as albendazole		100 µg/kg 100 µg/kg 1 000 µg/kg 500 µg/kg 100 µg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY
Alfacalcidol	NOT APPLICABLE	Bovine	No MRL required	NOT APPLICABLE	For parturient cows only.
Alfaprostol	NOT APPLICABLE	Bovine, porcine, rabbit, Equidae	No MRL required	NOT APPLICABLE	NO ENTRY
Allantoin	NOT APPLICABLE	All food- producing species		NOT APPLICABLE	For topical use only.
Allium cepa	NOT APPLICABLE	All food producing species		NOT APPLICABLE	For use in homeopathic veterinary medicinal products prepared according to

					homeopathic pharmacopoeias at concentrations
					corresponding to the mother tincture and dilutions thereof only.
Aloe vera gel and whole leaf extract of Aloe vera	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For topical use only.
Aloes, Barbados and Capae, their standardised dry extract and preparations thereof		All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY
Alphacypermethrin	Cypermethrin (sum of isomers)	Bovine, ovine	20 μg/kg 200 μg/kg 20 μg/kg 20 μg/kg 20 μg/kg	Muscle Fat Liver Kidney Milk	For milk MRL further provisions in Commission Directive 98/82/EC are to be observed.
▼ M9					
Altrenogest	Altrenogest	Porcine	4 μg/kg	Skin and fat	Only for zootechnical use
		Equidae	2 μg/kg 4 μg/kg	Liver	and in accordance with
		Equidae	4 μg/kg	Liver	the provisions of Directive 96/22/EC
▼B					
Aluminium distearate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY
Aluminium hydroxide	NOT APPLICABLE	All food producing species		NOT APPLICABLE	NO ENTRY
Aluminium hydroxide acetate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY
Aluminium monostearate	NOT APPLICABLE	All food producing species		NOT APPLICABLE	NO ENTRY
Aluminium phosphate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY
Aluminium salicylate, basic	NOT APPLICABLE	Bovine	No MRL required	NOT APPLICABLE	For oral use only. Not for use in animals from which milk is produced for human consumption.
		All food producing species except fin fish	required	NOT APPLICABLE	For topical use only.
Aluminium tristearate	NOT APPLICABLE	All food	No MRL	NOT	NO ENTRY

		producing species	required	APPLICABLE	
2-Aminoethanol	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY
2-Aminoethanol glucuronate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY
2-Aminoethyl dihydrogenphosphate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY
Amitraz	Sum of amitraz and all metabolites containing the 2,4-DMA moiety, expressed as amitraz	Bovine	200 μg/kg 200 μg/kg 200 μg/kg 10 μg/kg	Fat Liver Kidney Milk	NO ENTRY
		Ovine	400 μg/kg 100 μg/kg 200 μg/kg 10 μg/kg	Fat Liver Kidney Milk	
		Caprine	200 μg/kg 100 μg/kg 200 μg/kg 10 μg/kg	Fat Liver Kidney Milk	
		Porcine	400 μg/kg 200 μg/kg 200 μg/kg	Skin and fat Liver Kidney	
		Bees	200 μg/kg	Honey	
Ammonium chloride	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY
Ammonium lauryl sulphate	NOT APPLICABLE	All food- producing species	No MRL required	NOT APPLICABLE	NO ENTRY
Ammonium sulfate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY
Amoxicillin	Amoxicillin	All food producing species	50 μg/kg 50 μg/kg 50 μg/kg 50 μg/kg 4 μg/kg	Muscle Fat Liver Kidney Milk	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption.

Ampicillin	Ampicillin	All foo producing species	d 50 μg/kg 50 μg/kg 50 μg/kg 50 μg/kg 4 μg/kg	Muscle Fat Liver Kidney Milk	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption.
Amprolium	NOT APPLICABLE	Poultry	No MRL required	NOT APPLICABLE	For oral use only.
Angelicae radix aetheroleum	NOT APPLICABLE	All foo producing species	d No MRL required	NOT APPLICABLE	NO ENTRY
Anisi aetheroleum	NOT APPLICABLE	All foo producing species	d No MRL required	NOT APPLICABLE	NO ENTRY
Anisi stellati fructus, standardised extracts and preparations thereof	NOT APPLICABLE	All foo producing species	d No MRL required	NOT APPLICABLE	NO ENTRY
Apocynum cannabinum	NOT APPLICABLE	All foo producing species	d No MRL required	NOT APPLICABLE	For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias, at concentrations in the products not exceeding one part per hundred only. For oral use only.
Apramycin	Apramycin	Bovine	1 000 μg/kg 1 000 μg/kg 10 000 μg/kg 20 000 μg/kg		Not for use in animals from which milk is produced for human consumption.
	NOT APPLICABLE	Ovine, porcine, chicken, rabbit	No MRL required	NOT APPLICABLE	For oral use only. Not for use in animals from which milk or eggs are produced for human consumption.

Aqua levici	NOT APPLICABLE	All food producing species	NOT APPLICABLE	veterinary medicinal products prepared	to as
Arginine	NOT APPLICABLE	All food producing species	NOT APPLICABLE	NO ENTRY	
Arnica montana (arnicae flos and arnicae planta tota)	NOT APPLICABLE	All food producing species	NOT APPLICABLE	For topical u only.	ise
Arnicae radix	NOT APPLICABLE	All food producing species	NOT APPLICABLE	homeopathic veterinary medicinal products prepared according homeopathic pharmacopoeia at concentratio corresponding the products r	in not nne
Artemisia abrotanum	NOT APPLICABLE	All food producing species	APPLICABLE	veterinary medicinal products prepared according homeopathic pharmacopoeia at concentratio corresponding the moth	to ner and
Asparagine	NOT APPLICABLE	All food producing species	NOT APPLICABLE	NO ENTRY	
Aspartic acid	NOT APPLICABLE	All food producing species	NOT APPLICABLE	NO ENTRY	
Atropa belladonna	NOT APPLICABLE	All food producing species	NOT APPLICABLE	homeopathic veterinary medicinal products prepared according homeopathic pharmacopoeia at concentratio in the product not exceedi	ons cts

					hundred only.
Atropine	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY
Avilamycin	Dichloroisoeverninic acid	Porcine, poultry, rabbit	50 μg/kg 100 μg/kg 300 μg/kg 200 μg/kg	Muscle Fat Liver Kidney	For porcine and poultry species this MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption.
Azagly-nafarelin	NOT APPLICABLE	Salmonidae	No MRL required	NOT APPLICABLE	Not for use in fish from which eggs are produced for human consumption.
▼M18					
Azamethiphos	NOT APPLICABLE	Fin fish	No MRL required	NOT APPLICABLE	NO ENTRY
▼B					
Azaperone	Sum of azaperone and azaperol	Porcine	100 µg/kg 100 µg/kg 100 µg/kg 100 µg/kg	Muscle Skin and fat Liver Kidney	NO ENTRY
Bacitracin	Sum of bacitracin A, bacitracin B, and	Bovine	100 μg/kg	Milk	NO ENTRY
	bacitracin C	Rabbit	150 μg/kg 150 μg/kg 150 μg/kg 150 μg/kg	Muscle Fat Liver Kidney	
	NOT APPLICABLE	Bovine			For intramammary use in lactating cows only.
Balsamum peruvianum	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For topical use only.
Baquiloprim	Baquiloprim	Bovine	10 μg/kg 300 μg/kg 150 μg/kg 30 μg/kg	Fat Liver Kidney Milk	NO ENTRY
		Porcine	40 μg/kg 50 μg/kg 50 μg/kg	Skin and fat Liver Kidney	
Barium selenate	NOT APPLICABLE	Bovine, ovine	No MRL required	NOT APPLICABLE	NO ENTRY
Beclomethasone dipropionate	NOT APPLICABLE	Equidae	No MRL required	NOT APPLICABLE	For inhalation use only.
Bellis perennis	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use in homeopathic veterinary

					medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding to the mother tincture and dilutions thereof only.
Benzalkonium chloride	NOT APPLICABLE	All food producing species	l No MRL required	NOT APPLICABLE	For use as an excipient at concentrations up to 0,05 % only.
Benzocaine	NOT APPLICABLE	All food producing species	l No MRL required	NOT APPLICABLE	For use as local anaesthetic only.
		Salmonidae	No MRL required	NOT APPLICABLE	NO ENTRY
Benzyl alcohol	NOT APPLICABLE	All food producing species	l No MRL required	NOT APPLICABLE	For use as excipient.
Benzyl benzoate	NOT APPLICABLE	All food producing species	l No MRL required	NOT APPLICABLE	NO ENTRY
Benzyl p-hydroxybenzoate	NOT APPLICABLE	All food producing species	l No MRL required	NOT APPLICABLE	NO ENTRY
Benzylpenicillin	Benzylpenicillin	All food producing species	50 μg/kg 50 μg/kg 50 μg/kg 50 μg/kg 4 μg/kg	Muscle Fat Liver Kidney Milk	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption.
Betaine	NOT APPLICABLE	All food producing species	l No MRL required	NOT APPLICABLE	NO ENTRY
Betaine glucuronate	NOT APPLICABLE	All food producing species	l No MRL required	NOT APPLICABLE	NO ENTRY
Betamethasone	Betamethasone	Bovine, porcine	0,75 μg/kg 2,0 μg/kg	Muscle Liver	NO ENTRY

			0,75 μg/kg	Kidney	
		Bovine	0,3 μg/kg	Milk	
Biotin	NOT APPLICABLE	All food producing species		NOT APPLICABLE	NO ENTRY
Bismuth subcarbonate	NOT APPLICABLE	All food producing species		NOT APPLICABLE	For oral use only.
Bismuth subgallate	NOT APPLICABLE	All food producing species		NOT APPLICABLE	For oral use only.
Bismuth subnitrate	NOT APPLICABLE	All food producing species		NOT APPLICABLE	For oral use only.
		Bovine		NOT APPLICABLE	For intramammary use only.
Bismuth subsalicylate	NOT APPLICABLE	All food producing species		NOT APPLICABLE	For oral use only.
Bituminosulfonates, ammonium and sodium salts				NOT APPLICABLE	For topical use only.
Boldo folium	NOT APPLICABLE	All food producing species		NOT APPLICABLE	NO ENTRY
Boric acid and borates	NOT APPLICABLE	All food producing species		NOT APPLICABLE	NO ENTRY
Bromhexine	NOT APPLICABLE	Bovine, porcine, poultry	No MRL required	NOT APPLICABLE	Not for use in animals from which milk or eggs are produced for human consumption.
Bromide, potassium salt	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY
Bromide, sodium salt	NOT APPLICABLE	All- mammalian food- producing species		NOT APPLICABLE	For topical use only.
Bronopol	NOT APPLICABLE	Fin fish		NOT APPLICABLE	NO ENTRY
Brotizolam	NOT APPLICABLE	Bovine		NOT APPLICABLE	For therapeutic uses only.
Buserelin	NOT APPLICABLE	All food producing species		NOT APPLICABLE	NO ENTRY
▼M33 Butafosfan	NOT APPLICABLE	All mammalian food		NOT APPLICABLE	NO ENTRY

		producing species	
▼B			
n-Butane	NOT APPLICABLE	All food No MF producing required species	RL NOT NO ENTRY APPLICABLE
n-Butanol	NOT APPLICABLE	All food No MF producing required species	RL NOT For use as APPLICABLE excipient.
Butorphanole tartrate	NOT APPLICABLE	<i>Equidae</i> No MF required	RL NOT For intravenous APPLICABLE administration only.
Butyl 4-hydroxybenzoate	NOT APPLICABLE	All food No MF producing required species	RL NOT NO ENTRY APPLICABLE
Butylscopolaminium bromide	NOT APPLICABLE	All food No MF producing required species	RL NOT NO ENTRY APPLICABLE
▼M38			
Cabergoline	Cabergoline	Bovine 0,10 μg/kg	Fat NO ENTRY
		0,25 μg/kg	Liver
		0,50 μg/kg	Kidney
		0,15 μg/kg	Muscle
		0,10 μg/kg	Milk
▼B	NOT ADDITIONAL F	AU 6 1 A1 A4	N NO ENTRY
Caffeine	NOT APPLICABLE	All food No MF producing required species	RL NOT NO ENTRY APPLICABLE
Calcium acetate	NOT APPLICABLE	All food No MF producing required species	RL NOT NO ENTRY APPLICABLE
Calcium aspartate	NOT APPLICABLE	All food No MF producing required species	RL NOT NO ENTRY APPLICABLE
Calcium benzoate	NOT APPLICABLE	All food No MF producing required species	RL NOT NO ENTRY APPLICABLE
Calcium borogluconate	NOT APPLICABLE	All food No MF producing required species	RL NOT NO ENTRY APPLICABLE
Calcium carbonate	NOT APPLICABLE	All food No MF producing required species	RL NOT NO ENTRY APPLICABLE
Calcium chloride	NOT APPLICABLE	All food No MF producing required species	RL NOT NO ENTRY APPLICABLE
Calcium citrate	NOT APPLICABLE	All food No MF producing required species	RL NOT NO ENTRY APPLICABLE
Calcium glucoheptonate	NOT APPLICABLE	All food No MF producing required species	RL NOT NO ENTRY APPLICABLE
Calcium gluconate	NOT APPLICABLE	All food No MF	RL NOT NO ENTRY

		producing species	required	APPLICABLE	
Calcium glucono glucoheptonate	NOT APPLICABLE	All food producing species		NOT APPLICABLE	NO ENTRY
Calcium gluconolactate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY
Calcium glutamate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY
Calcium glycerophosphate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY
Calcium hydroxide	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY
Calcium hypophosphite	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY
Calcium malate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY
Calcium oxide	NOT APPLICABLE	All food producing species		NOT APPLICABLE	NO ENTRY
Calcium pantothenate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY
Calcium phosphate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY
Calcium polyphosphates	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY
Calcium propionate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY
Calcium silicate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY
Calcium stearate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY
Calcium sulphate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY
Calendula officinalis	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding in

		the products not exceeding one part per ten only.
Calendulae flos	NOT APPLICABLE	All food No MRL NOT For topical use producing required APPLICABLE only. species
Camphor	NOT APPLICABLE	All food No MRL NOT External use producing required APPLICABLE only. species
Camphora	NOT APPLICABLE	All food No MRL NOT For use in producing required APPLICABLE homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations in the products not exceeding one part per hundred only.
Capsici fructus acer	NOT APPLICABLE	All food No MRL NOT NO ENTRY producing required APPLICABLE species
Carazolol	Carazolol	Bovine 5 μg/kg Muscle NO ENTRY 5 μg/kg Fat 15 μg/kg Liver 15 μg/kg Kidney 1 μg/kg Milk
		Porcine 5 μg/kg Muscle 5 μg/kg Skin and fat 25 μg/kg Liver 25 μg/kg Kidney
Carbasalate calcium	NOT APPLICABLE	All food No MRL NOT Not for use in producing required APPLICABLE animals from which milk or except fin eggs are fish produced for human consumption.
Carbetocin	NOT APPLICABLE	All No MRL NOT NO ENTRY mammalian required APPLICABLE food producing species
Cardamon extract	NOT APPLICABLE	All food No MRL NOT NO ENTRY producing required APPLICABLE species
Cardiospermum halicacabum	NOT APPLICABLE	All food No MRL NOT For use in producing required APPLICABLE homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations

					corresponding to the mother tincture and dilutions thereof only.
Carlinae radix	NOT APPLICABLE	All food producing species		NOT APPLICABLE	For topical use only.
Carnitine	NOT APPLICABLE	All food producing species		NOT APPLICABLE	NO ENTRY
Carprofen	Sum of carprofen and carprofen glucuronide conjugate	Bovine, <i>Equidae</i>	1 000 μg/kg 1 000 μg/kg	Muscle Fat Liver Kidney	NO ENTRY
	NOT APPLICABLE	Bovine	No MRL required for milk	NOT APPLICABLE	
Carvi aetheroleum	NOT APPLICABLE	All food producing species		NOT APPLICABLE	NO ENTRY
Caryophylli aetheroleum	NOT APPLICABLE	All food producing species		NOT APPLICABLE	NO ENTRY
Cefacetrile	Cefacetrile	Bovine	125 µg/kg	Milk	For
	NOT APPLICABLE	Bovine	No MRL required for all tissues except milk.	NOT APPLICABLE	intramammary use only.
Cefalexin	Cefalexin	Bovine	200 μg/kg 200 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY
Cefalonium	Cefalonium	Bovine	20 μg/kg	Milk	For
	NOT APPLICABLE	Bovine	No MRL required for all tissues except milk.	NOT APPLICABLE	intramammary use and eye treatment only.
Cefapirin	Sum of cephapirin and desacetylcephapirin	Bovine	- 15 5	Muscle Fat Kidney Milk	NO ENTRY
Cefazolin	Cefazolin	Bovine, ovine, caprine	50 μg/kg	Milk	NO ENTRY
	NOT APPLICABLE	Bovine, ovine, caprine	No MRL required for all tissues except milk.		For intramammary use, except if the udder may be used as food for human consumption.
Cefoperazone	Cefoperazone	Bovine	50 μg/kg	Milk	For
	NOT APPLICABLE	Bovine	No MRL required for		intramammary use in lactating cows only.

			all tissues except milk.		
Cefquinome	Cefquinome	Bovine, porcine, <i>Equidae</i>	50 μg/kg 50 μg/kg 100 μg/kg 200 μg/kg	Muscle Fat Liver Kidney	For porcine species the fat MRL relates to 'skin and fat in natural
		Bovine	20 μg/kg	Milk	proportions'.
Ceftiofur		ne All as mammaliar food producing species	1 000 µg/kg 2 000 µg/kg 2 000 µg/kg 6 000 µg/kg 100 µg/kg	Muscle Fat Liver Kidney Milk	For porcine species the fat MRL relates to 'skin and fat in natural proportions'.
Centellae asiaticae extractum	NOT APPLICABLE	All food producing species	d No MRL required	NOT APPLICABLE	For topical use only.
Cetostearyl alcohol	NOT APPLICABLE	All food producing species	d No MRL required	NOT APPLICABLE	NO ENTRY
Cetrimide	NOT APPLICABLE	All food producing species	d No MRL required	NOT APPLICABLE	NO ENTRY
Chlorhexidine	NOT APPLICABLE	All food producing species	d No MRL required	NOT APPLICABLE	For topical use only.
Chlormadinone	Chlormadinone	Bovine	4 μg/kg 2 μg/kg 2,5 μg/kg	Fat Liver Milk	For zootechnical use only.
Chlorocresol	NOT APPLICABLE	All food producing species	d No MRL required	NOT APPLICABLE	NO ENTRY
▼M32					
Chloroform	NOT APPLICABLE	All mammalian food producing species		NOT APPLICABLE	Only to be used as an excipient in vaccines and only at concentrations not exceeding 1 % w/v and total doses not exceeding 20 mg per animal.
▼B					
Chlorphenamine	NOT APPLICABLE	All mammalian food producing species		NOT APPLICABLE	NO ENTRY
Chlortetracycline	Sum of parent drug and its 4- epimer	All food- producing species	- 100 µg/kg 300 µg/kg 600 µg/kg 100 µg/kg 200 µg/kg	Muscle Liver Kidney Milk Eggs	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for liver and kidney do not apply to fin fish.

Choline	NOT APPLICABLE			NOT APPLICABLE	NO ENTRY
Chrysanthemi cinerariifolii flos	NOT APPLICABLE		d No MRL required		
Chymotrypsin	NOT APPLICABLE			NOT APPLICABLE	NO ENTRY
Cimicifugae racemosae rhizoma	NOT APPLICABLE			NOT APPLICABLE	Not for use in animals from which milk is produced for human consumption.
Cinchonae cortex, standardised extracts and preparations thereof	NOT APPLICABLE	All foo producing species	d No MRL required	NOT APPLICABLE	NO ENTRY
Cinnamomi cassiae aetheroleum	NOT APPLICABLE			NOT APPLICABLE	NO ENTRY
Cinnamomi cassiae cortex, standardised extracts and preparations thereof	NOT APPLICABLE			NOT APPLICABLE	
Cinnamomi ceylanici aetheroleum	NOT APPLICABLE			NOT APPLICABLE	NO ENTRY
Cinnamomi ceylanici cortex, standardised extracts and preparations thereof	NOT APPLICABLE			NOT APPLICABLE	NO ENTRY
Citri aetheroleum	NOT APPLICABLE		d No MRL required	NOT APPLICABLE	NO ENTRY
Citronellae aetheroleum	NOT APPLICABLE	All foo producing species	d No MRL required	NOT APPLICABLE	NO ENTRY
Citrulline	NOT APPLICABLE	All foo producing species	d No MRL required	NOT APPLICABLE	NO ENTRY
Clavulanic acid	Clavulanic acid	Bovine, porcine	100 μg/kg 100 μg/kg 200 μg/kg 400 μg/kg	Muscle Fat Liver Kidney	For porcine species the fat MRL relates to 'skin and fat in natural
		Bovine	200 μg/kg	Milk	proportions'.
Clazuril	NOT APPLICABLE	Pigeon	required	NOT APPLICABLE	NO ENTRY
Clenbuterol hydrochloride	Clenbuterol	Bovine, Equidae	0,1 μg/kg 0,5 μg/kg 0,5 μg/kg	Muscle Liver Kidney	NO ENTRY
		Bovine	0,05 µg/kg	Milk	
Cloprostenol	NOT APPLICABLE	Bovine, porcine, caprine, Equidae	No MRL required	NOT APPLICABLE	NO ENTRY
		,			

R-Cloprostenol ▼M41	NOT APPLICABLE	Bovine, porcine, caprine, Equidae		No MRL required	NOT APPLICABLE	NO ENTRY
Clorsulon	Clorsulon	Bovine	2	35 µg/kg 100 µg/kg 200 µg/kg 16 µg/kg	Muscle Liver Kidney Milk	NO ENTRY
▼M40 Closantel	Closantel	Bovine	;	3 000 µg/kg 1 000 µg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY
		Ovine		2 000 µg/kg 1 500 µg/kg	Muscle Fat Liver Kidney Milk	
▼B Cloxacillin	Cloxacillin	All fo producing species	g ;		Muscle Fat Liver Kidney Milk	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption.
Cobalt carbonate	NOT APPLICABLE	All fo producing species	ood I g 1		NOT APPLICABLE	NO ENTRY
Cobalt dichloride	NOT APPLICABLE	All fo producing species	ood I g i		NOT APPLICABLE	NO ENTRY
Cobalt gluconate	NOT APPLICABLE	All fo producing species	ood I g i		NOT APPLICABLE	NO ENTRY
Cobalt oxide	NOT APPLICABLE	All fo producing species	ood I g i		NOT APPLICABLE	NO ENTRY
Cobalt sulphate	NOT APPLICABLE	All fo	ood I	No MRL	NOT	NO ENTRY

			producing species		required	l	APPLICABLE		
Cobalt trioxide		NOT APPLICABLE	All produc specie	_	No required		NOT APPLICABLE	NO ENTRY	
Coco alkyl di betaines	imethyl	NOT APPLICABLE	All produc specie	_	No required		NOT APPLICABLE	For use excipient.	as
Colistin		Colistin	All produc specie	cing	150 μg/l 150 μg/l 150 μg/l 200 μg/l 50 μg/kç 300 μg/l	<g <g <g< td=""><td>Muscle Fat Liver Kidney Milk Eggs</td><td>relates 'muscle and in na proportions'. MRLs for liver and kid do not appl fin fish. For porcine poultry spe</td><td>MRL to skin tural fat, dney by to and ecies MRL 'skin</td></g<></g </g 	Muscle Fat Liver Kidney Milk Eggs	relates 'muscle and in na proportions'. MRLs for liver and kid do not appl fin fish. For porcine poultry spe	MRL to skin tural fat, dney by to and ecies MRL 'skin
Condurango standardised extrac preparations thereof	ts and	NOT APPLICABLE	All product specie	_	No required		NOT APPLICABLE	NO ENTRY	
Convallaria majalis		NOT APPLICABLE	All produc specie	_	No required	MRL I	NOT APPLICABLE	For use homeopathic veterinary medicinal products prepared according homeopathic pharmacopo at concentration the product exceed one part thousand only	to; eias, tions lucts eding per
Copper chloride		NOT APPLICABLE	All produc specie	_	No required		NOT APPLICABLE	NO ENTRY	
Copper gluconate		NOT APPLICABLE	All produc specie	_	No required		NOT APPLICABLE	NO ENTRY	
Copper heptanoate		NOT APPLICABLE	All produc specie	_	No required		NOT APPLICABLE	NO ENTRY	
Copper methionate		NOT APPLICABLE	All produc specie	_	No required		NOT APPLICABLE	NO ENTRY	
Copper oxide		NOT APPLICABLE	All product specie				NOT APPLICABLE	NO ENTRY	
Copper sulphate		NOT APPLICABLE	All product specie		No required		NOT APPLICABLE	NO ENTRY	
Coriandri aetheroleu	ım	NOT APPLICABLE	All	food	No	MRL	NOT	NO ENTRY	

_		producing	required	APPLICABLE	
		species			
Corticotropin	NOT APPLICABLE	All food producing species		NOT APPLICABLE	NO ENTRY
Coumafos	Coumafos	Bees	100 μg/kg	Honey	NO ENTRY
Crataegus	NOT APPLICABLE	All food producing species		APPLICABLE	For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding to the mother tincture and dilutions thereof only.
Cupressi aetheroleum	NOT APPLICABLE	All food producing species		NOT APPLICABLE	For topical use only.
Cyfluthrin	Cyfluthrin (sum of isomers)	Bovine, caprine	50 μg/kg	LIVEI	For milk further provisions in Council Directive 94/29/EC are to be observed.
Cyhalothrin	Cyhalothrin (sum of isomers)	Bovine	500 μg/kg 50 μg/kg 50 μg/kg	Fat Kidney Milk	For milk further provisions in Council Directive 94/29/EC are to be observed.
Cypermethrin	Cypermethrin (sum of isomers)	All ruminants	200 μg/kg	Kidney	For milk further provisions in Commission Directive 98/82/EC are to be observed.
		Salmonidae	50 μg/kg	Muscle and skin in natural proportions.	
Cyromazine	Cyromazine	Ovine	300 μg/kg	Kidney	Not for use in animals from which milk is produced for human consumption.
Cysteine	NOT APPLICABLE	All food producing species		NOT APPLICABLE	NO ENTRY
Cytidine and its 5'-mono-, 5'-di- and 5'-triphosphates	NOT APPLICABLE	All food producing species		NOT APPLICABLE	NO ENTRY
Danofloxacin	Danofloxacin	Bovine, ovine, caprine,	100 μg/kg	Muscle Fat Liver	For fin fish the muscle MRL relates to

		poultry	400 μg/kg	Kidney	'muscle and skin
		All othe food producing species	100 μg/kg 50 μg/kg 200 μg/kg 200 μg/kg	Muscle Fat Liver Kidney	in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish.
		Bovine, ovine, caprine	30 μg/kg	Milk	For porcine species the fat MRL relates to 'skin and fat in natural proportions'. For poultry species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption.
Decoquinate	NOT APPLICABLE	Bovine, ovine	No MRL required	NOT APPLICABLE	For oral use only. Not for use in animals from which milk is produced for human consumption
Deltamethrin	Deltamethrin	All ruminants	10 µg/kg 50 µg/kg 10 µg/kg 10 µg/kg 20 µg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY
		Fin fish	10 μg/kg	Muscle and skin in natural proportions.	
Dembrexine	NOT APPLICABLE	Equidae	No MRL required	NOT APPLICABLE	NO ENTRY
Denaverine hydrochloride ▼M4	NOT APPLICABLE	Bovine	No MRL required	NOT APPLICABLE	NO ENTRY
Derquantel	Derquantel	Ovine	2 μg/kg 40 μg/kg 20 μg/kg 5 μg/kg	Muscle Fat Liver Kidney	Not for use in animals from which milk is produced for human consumption.
▼B Deslorelin acetate	NOT APPLICABLE	Equidae		NOT	NO ENTRY
Detomidine	NOT APPLICABLE	Bovine, <i>Equidae</i>	required No MRL required	APPLICABLE NOT APPLICABLE	For therapeutic use only.
Dexamethasone	Dexamethasone	Bovine, caprine,	0,75 μg/kg 2 μg/kg	Muscle Liver	NO ENTRY

		porcir Equic		0,75 μg/kg	Kidney		
		Bovin	e,	0,3 µg/kg	Milk		
Dexpanthenol	NOT APPLICABLE	All produ	_	No MRL required	NOT APPLICABLE	NO ENTRY	
Diazinon	Diazinon	Bovin ovine caprir porcir	ne,	20 μg/kg 700 μg/kg 20 μg/kg 20 μg/kg	Muscle Fat Liver Kidney	For porcine species the fat MRL relates to 'skin and fat in natural	
		Bovin ovine caprir	,	20 μg/kg	Milk	proportions'.	
▼M31							
Diclazuril	NOT APPLICABLE	All rumin porcir		No MRL required	NOT APPLICABLE	For oral use only	
	Diclazuril	Poulti	У	500 μg/kg	Muscle	Not for use in	
				500 μg/kg	Skin and fat in natural proportions		
		1 500 μg/kg Liver		consumption			
				1 000 µg/kg	Kidney		
		Rabb	it	150 µg/kg	Muscle		
				300 μg/kg	Fat		
				2 500 µg/kg	Liver		
				1 000 µg/kg	Kidney		
▼B							
Diclofenac	Diclofenac	Bovine 5 μg/kg Muscle 1 μg/kg Fat 5 μg/kg Liver 10 μg/kg Kidney 0,1 μg/kg Milk	Fat Liver	For porcine species the fat MRL relates to 'skin and fat in natural proportions'.			
		Porcii	ne	5 μg/kg 1 μg/kg 5 μg/kg 10 μg/kg	Muscle Skin and fat Liver Kidney		
Dicloxacillin	Dicloxacillin	All produ specie	cing	300 μg/kg 300 μg/kg 300 μg/kg 300 μg/kg 30 μg/kg	Muscle Fat Liver Kidney Milk	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'.	

					Not for use in animals from which eggs are produced for human consumption.
Dicopper oxide	NOT APPLICABLE	All food No producing req species		NOT APPLICABLE	NO ENTRY
Dicyclanil	Sum of dicyclanil and 2, 4, 6-triamino pyrimidine-5-carbonitrile	150 400	i0 μg/kg 10 μg/kg	Muscle Fat Liver Kidney	Not for use in animals from which milk is produced for human consumption.
Diethyl phthalate	NOT APPLICABLE	All food No producing req species		NOT APPLICABLE	NO ENTRY
Diethyl sebacate	NOT APPLICABLE	All food No producing req species		NOT APPLICABLE	NO ENTRY
Diethylene glyco monoethyl ether	I NOT APPLICABLE	All No ruminants req and porcine		NOT APPLICABLE	NO ENTRY
Difloxacin	Difloxacin	ovine, 100 caprine 1 40	10 μg/kg 400 μg/kg	Muscle Fat Liver Kidney	For fin fish the muscle MRL relates to 'muscle and skin in natural
		100 800	00 μg/kg 00 μg/kg	Liver	proportions'. MRLs for fat, liver and kidney do not apply to fin fish.
		400 1 9	00 μg/kg 900 μg/kg	Muscle Skin and fat Liver Kidney	Not for use in animals from which milk is produced for human
		producing 800	00 μg/kg 00 μg/kg	Muscle Fat Liver Kidney	consumption. Not for use in animals from which eggs are produced for human consumption.
Diflubenzuron	Diflubenzuron	Salmonidae 1 0		Muscle and skin in natural proportions	NO ENTRY
Dihydrostreptomycin	Dihydrostreptomycin	ruminants, 500 porcine, 500	00 μg/kg 00 μg/kg	Muscle Fat Liver Kidney	For porcine species the fat MRL relates to 'skin and fat in natural
		All 200 ruminants	00 μg/kg	Milk	proportions'.
3,5-Diiodo-L-thyrosine	NOT APPLICABLE	All No mammalian req food producing species		NOT APPLICABLE	NO ENTRY

Dimanganese trioxide	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For oral use only.
Dimethicone	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY
Dimethyl acetamide	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY
Dimethyl phthalate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY
Dimethyl sulphoxide	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY
Dinoprost	NOT APPLICABLE	All mammalian food producing species		NOT APPLICABLE	NO ENTRY
Dinoprost tromethamine	NOT APPLICABLE	All mammalian food producing species		NOT APPLICABLE	NO ENTRY
Dinoprostone	NOT APPLICABLE	All mammalian food producing species		NOT APPLICABLE	NO ENTRY
Diprophylline	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY
Doramectin	Doramectin	All mammalian food producing species	40 μg/kg 150 μg/kg 100 μg/kg 60 μg/kg	Muscle Fat Liver Kidney	For porcine species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which milk is produced for human consumption.
▼M28 Double stranded ribonucleic acid homologous to viral ribonucleic acid coding for part of the coat protein and part of the intergenic region of the Israel Acute Paralysis Virus	NOT APPLICABLE	Bees	No MRL required	Honey	NO ENTRY
Doxapram	NOT APPLICABLE	All mammalian food producing		NOT APPLICABLE	NO ENTRY

		species			
Doxycycline	Doxycycline	Bovine	100 μg/kg 300 μg/kg 600 μg/kg	Muscle Liver Kidney	Not for use in animals from which milk is produced for human consumption.
		Porcine, poultry	100 µg/kg 300 µg/kg 300 µg/kg 600 µg/kg	Muscle Skin and fat Liver Kidney	Not for use in animals from which eggs are produced for human consumption.
D-Phenylalanine (6) luteinising-hormone releasing hormone	- NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY
Echinacea	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding to the mother tincture and dilutions thereof only. For topical use only. For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding in the products not exceeding one part per ten only.
Echinacea purpurea	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For topical use only.
Emamectin	Emamectin B1a	Fin fish	100 μg/kg	Muscle and skin in natural proportions	NO ENTRY
Enilconazole	NOT APPLICABLE	Bovine, <i>Equidae</i>	No MRL required	NOT APPLICABLE	For topical use only.
Enrofloxacin	Sum of enrofloxacin and ciprofloxacin	Bovine, ovine, caprine	100 μg/kg 100 μg/kg 300 μg/kg 200 μg/kg 100 μg/kg	Muscle Fat Liver Kidney Milk	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for fat,

		Porcine, rabbit Poultry	100 µg/kg 100 µg/kg 200 µg/kg 300 µg/kg 100 µg/kg 100 µg/kg 200 µg/kg 300 µg/kg	Muscle Fat Liver Kidney Muscle Skin and fat Liver Kidney	liver and kidney do not apply to fin fish. For porcine species the fat MRL relates to 'skin and fat in natural proportions'.
		All other food producing species	100 μg/kg 100 μg/kg 200 μg/kg 200 μg/kg	Muscle Fat Liver Kidney	Not for use in animals from which eggs are produced for human consumption.
Epinephrine	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY
▼M25 Eprinomectin	Eprinomectin B1a	Bovine	50 μg/kg	Muscle	NO ENTRY
		2011110	250 μg/kg	Fat	
			1 500 μg/kg	Liver	
			300 µg/kg	Kidney	
			20 μg/kg	Milk	
		Ovine,	50 μg/kg	Muscle	The MRLs laid
		caprine	250 μg/kg	Fat	down for these animal species
			1 500 µg/kg	Liver	are provisional MRLs. They
			300 µg/kg	Kidney	shall expire on 1
			20 μg/kg	Milk	July 2014.
▼B					
Ergometrine maleate	NOT APPLICABLE	All mammalian food producing species		NOT APPLICABLE	For use in parturient animals only.
Erythromycin	Erythromycin A	producing species	200 μg/kg 200 μg/kg 200 μg/kg 200 μg/kg 40 μg/kg 150 μg/kg	Muscle Fat Liver Kidney Milk Eggs	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'.
Etamiphylline camsylate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY
Etamsylate	NOT APPLICABLE	All food producing	No MRL required	NOT APPLICABLE	NO ENTRY

		species			
Ethanol	NOT APPLICABLE	All food producing species		NOT APPLICABLE	For use as excipient.
Ethyl lactate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY
Ethyl oleate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY
Ethylenediaminetetraacetic acid and salts	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY
Etiproston tromethamine	NOT APPLICABLE	Bovine, porcine	No MRL required	NOT APPLICABLE	NO ENTRY
Eucalypti aetheroleum	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY
Eucalyptol	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY
Eucalyptus globulus	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding to the mother tincture and dilutions thereof only.
Euphrasia officinalis	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding to the mother tincture and dilutions thereof only.
Febantel	Sum of extractable residues which may be oxidised to oxfendazole sulphone	All ruminants, porcine, Equidae All ruminants	50 μg/kg 50 μg/kg 500 μg/kg 50 μg/kg 10 μg/kg	Muscle Fat Liver Kidney Milk	For porcine species the fat MRL relates to 'skin and fat in natural proportions'.
▼M20 Fenbendazole	Sum of extractable residues which may be	All food	50 μg/kg	Muscle	For porcine and
i emperidazore	ourn or extraolable residues which may be	All 1000-	ου μg/kg	IVIUSCIE	i oi porcine and

	oxidised to oxfendazole sulfone	producing species except fin fish	50 μg/kg 500 μg/kg 50 μg/kg 10 μg/kg 1 300 μg/kg	Fat Liver Kidney Milk Eggs	poultry species the fat MRL relates to 'skin and fat in natural proportions'
▼B					
Fenpipramide hydrochloride	NOT APPLICABLE	Equidae	No MRL required	NOT APPLICABLE	For intravenous use only.
Fenvalerate	Fenvalerate (sum of RR, SS, RS and SR isomers)	Bovine	25 μg/kg 250 μg/kg 25 μg/kg 25 μg/kg 40 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY
Fertirelin acetate	NOT APPLICABLE	Bovine	No MRL required	NOT APPLICABLE	NO ENTRY
Firocoxib	Firocoxib	Equidae	10 μg/kg 15 μg/kg 60 μg/kg 10 μg/kg	Muscle Fat Liver Kidney	NO ENTRY
Florfenicol	Sum of florfenicol and its metabolites measured as florfenicol-amine	Bovine, ovine, caprine	200 μg/kg 3 000 μg/kg 300 μg/kg	Muscle Liver Kidney	Not for animals from which milk is produced for
		Porcine	300 μg/kg 500 μg/kg 2 000 μg/kg 500 μg/kg	Muscle Skin and fat Liver Kidney	human consumption. Not for animals from which eggs are produced for human
		Poultry	100 μg/kg 200 μg/kg 2 500 μg/kg 750 μg/kg	Muscle Skin and fat Liver Kidney	consumption.
		Fin fish	1 000 μg/kg	Muscle and skin in natural proportions.	
		All other food producing species	100 μg/kg 200 μg/kg 2 000 μg/kg 300 μg/kg	Muscle Fat Liver Kidney	
Fluazuron	Fluazuron	Bovine	200 μg/kg 7 000 μg/kg 500 μg/kg 500 μg/kg	Muscle Fat Liver Kidney	Not for animals from which milk is produced for human consumption.
Flubendazole	Sum of flubendazole and (2-amino 1H-benzimidazol-5-yl) (4fluorophenyl) methanone		50 μg/kg 50 μg/kg 400 μg/kg 300 μg/kg	Muscle Skin and fat Liver Kidney	NO ENTRY
	Flubendazole	Poultry	400 μg/kg	Eggs	
Flugestone acetate	Flugestone acetate	Ovine, caprine	0,5 μg/kg 0,5 μg/kg 0,5 μg/kg 0,5 μg/kg 1 μg/kg	Muscle Fat Liver Kidney Milk	For intravaginal use for zootechnical purposes only.

Flu	umequine	Flumequine	Bovine, ovine, caprine, porcine	200 μg/kg 300 μg/kg 500 μg/kg 1 500 μg/kg	Muscle Fat Liver Kidney	For porcine species the fat MRL relates to 'skin and fat in natural
			Bovine, ovine, caprine	50 μg/kg	Milk	proportions'. Not for use in animals from
			Poultry	400 μg/kg 250 μg/kg 800 μg/kg 1 000 μg/kg	Muscle Skin and fat Liver Kidney	which eggs are produced for human consumption.
			Fin Fish	600 μg/kg	Muscle and skin in natural proportion.	
			All other food producing species	200 μg/kg 250 μg/kg 500 μg/kg 1 000 μg/kg	Muscle Fat Liver Kidney	
Flu	umethrin	Flumethrin (sum of trans-Z-isomers)	Bovine	10 μg/kg 150 μg/kg 20 μg/kg 10 μg/kg 30 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY
			Ovine	10 μg/kg 150 μg/kg 20 μg/kg 10 μg/kg	Muscle Fat Liver Kidney	Not for use in animals from which milk is produced for human consumption.
		NOT APPLICABLE	Bees	No MRL required	NOT APPLICABLE	NO ENTRY
Flu	unixin	Flunixin	Bovine	20 μg/kg 30 μg/kg 300 μg/kg 100 μg/kg	Muscle Fat Liver Kidney	NO ENTRY
			Porcine	50 μg/kg 10 μg/kg 200 μg/kg 30 μg/kg	Muscle Skin and fat Liver Kidney	
			Equidae	10 μg/kg 20 μg/kg 100 μg/kg 200 μg/kg	Muscle Fat Liver Kidney	
		5-Hydroxyflunixin	Bovine	40 μg/kg	Milk	
Fo	peniculi aetheroleum	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY
Fo	olic acid	NOT APPLICABLE	All food producing species		NOT APPLICABLE	NO ENTRY
ho fro	ollicle stimulating ormone (natural FSH om all species and their orthetic analogues)	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY

Food additives (substances with a valid E number approved as additives in foodstuffs for human consumption)	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	Only substances approved as additives in foodstuffs for human consumption, with the exception of preservatives listed in part C of Annex III to European Parliament and Council Directive 95/2/EC.
Formaldehyde	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY
Formic acid	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY
Frangulae cortex, standardised extracts and preparations thereof	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY
Furosemide	NOT APPLICABLE	Bovine, <i>Equidae</i>	No MRL required		For intravenous administration only.
Gamithromycin	Gamithromycin	Bovine	20 μg/kg 200 μg/kg 100 μg/kg	Fat Liver Kidney	Not for use in animals producing milk for human consumption.
Gentamicin	Sum of gentamicin C1, gentamicin C1a, gentamicin C2 and gentamicin C2a	Bovine, porcine Bovine	50 μg/kg 50 μg/kg 200 μg/kg 750 μg/kg 100 μg/kg	Muscle Fat Liver Kidney Milk	For porcine species the fat MRL relates to 'skin and fat in natural proportions'.
Gentianae radix, standardised extracts and preparations thereof	NOT APPLICABLE	All food producing species			NO ENTRY
Ginkgo biloba	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations in the products not exceeding one part per thousand only.
Ginseng	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use in homeopathic veterinary medicinal products prepared according to

homeopathic			
pharmacopoeias			
at concentrations			
correspoi	nding to		
the	mother		
tincture	and		
dilutions	thereof		
only.			

					dilutions thereof only.
Ginseng, standardised extracts and preparations thereof	NOT APPLICABLE	All food producing species		NOT APPLICABLE	NO ENTRY
Glutamic acid	NOT APPLICABLE	All food producing species		NOT APPLICABLE	NO ENTRY
Glutamine	NOT APPLICABLE	All food producing species		NOT APPLICABLE	NO ENTRY
Glutaraldehyde	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY
Glycerol formal	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY
Glycine	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY
Gonadotrophin releasing hormone	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY
Guaiacol	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY
Guanosine and its 5'- mono-, 5'-di- and 5'- triphosphates		All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY
Halofuginone	Halofuginone	Bovine	10 μg/kg 25 μg/kg 30 μg/kg 30 μg/kg	Muscle Fat Liver Kidney	Not for use in animals from which milk is produced for human consumption.
Hamamelis virginiana	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations in the products not exceeding one part per ten only.
		All food producing species	No MRL required	NOT APPLICABLE	For topical use only.
Harpagophytum procumbens	NOT APPLICABLE	All food		NOT APPLICABLE	For use in

producing required APPLICABLE homeopathic

procumbens

		species			medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding to the mother tincture and dilutions thereof only.
Harunga madagascariensis	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias, at concentrations in the products not exceeding one part per thousand only
Heparin and its salts	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY
Heptaminol	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY
Hesperidin	NOT APPLICABLE	Equidae	No MRL required	NOT APPLICABLE	NO ENTRY
Hesperidin methyl chalcone	NOT APPLICABLE	Equidae	No MRL required	NOT APPLICABLE	NO ENTRY
Hexetidine	NOT APPLICABLE	Equidae	required	APPLICABLE	For topical use only.
Hippocastani semen	NOT APPLICABLE	All food producing species		NOT APPLICABLE	For topical use only.
Histidine	NOT APPLICABLE	All food producing species		NOT APPLICABLE	NO ENTRY
Human chorion gonadotrophin	NOT APPLICABLE	All food producing species		NOT APPLICABLE	NO ENTRY
Human chorionic gonadotropin (natural HCG and its synthetic analogues)	NOT APPLICABLE	All food producing species		NOT APPLICABLE	NO ENTRY
Human menopausal urinary gonadotrophin	NOT APPLICABLE	Bovine	No MRL required	NOT APPLICABLE	NO ENTRY
Humic acids and their sodium salts	NOT APPLICABLE	All food producing species		NOT APPLICABLE	For oral use only.
Hyaluronic acid	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY

species

veterinary

Hydrochloric acid	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use as excipient.
Hydrochlorothiazide	NOT APPLICABLE	Bovine	No MRL required	NOT APPLICABLE	NO ENTRY
Hydrocortisone	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For topical use only.
Hydrogen peroxide	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY
Hydroxyethylsalicylate	NOT APPLICABLE	All food- producing species except fin fish	required	NOT APPLICABLE	For topical use only.
8-Hydroxyquinoline	NOT APPLICABLE	All mammalian food- producing species		NOT APPLICABLE	For topical use in newborn animals only.
Hyperici oleum	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For topical use only.
Hypericum perforatum	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding to the mother tincture and dilutions thereof only.
Imidocarb	Imidocarb	Bovine	300 μg/kg 50 μg/kg 2 000 μg/kg 1 500 μg/kg 50 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY
		Ovine	300 μg/kg 50 μg/kg 2 000 μg/kg 1 500 μg/kg	Muscle Fat Liver Kidney	Not for use in animals from which milk is produced for human consumption.
Inosine and its 5'-mono- 5'-di- and 5'-triphosphates	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY
Inositol	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY
lodine and iodine inorganic compounds including: — Sodium and		All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY

potassium-iodide — Sodium and potassium-iodate — Iodophors including polyvinylpyrrolidone-iodine					
Iodine organic compounds — Iodoform	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY
Iron ammonium citrate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY
Iron dextran	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY
Iron dichloride	NOT APPLICABLE	All food producing species		NOT APPLICABLE	NO ENTRY
Iron fumarate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY
Iron glucoheptonate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY
Iron sulphate	NOT APPLICABLE	All food producing species		NOT APPLICABLE	NO ENTRY
Isobutane	NOT APPLICABLE	All food producing species		NOT APPLICABLE	NO ENTRY
▼ M7					
Isoeugenol	Isoeugenol	Fin fish	6 000 µg/kg		NOT APPLICABLE
▼B Isoflurane	NOT APPLICABLE	Equidae	No MRL required	NOT APPLICABLE	For anaesthetic use only.
Isoleucine	NOT APPLICABLE	All food producing species		NOT APPLICABLE	NO ENTRY
Isopropanol	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY
Isoxsuprine	NOT APPLICABLE	Bovine, Equidae	No MRL required	NOT APPLICABLE	For therapeutic use only in accordance with Council Directive 96/22/EEC.
▼M36 Ivermectin	22, 23-Dihydro-avermectin B 1a	All mammalian food producing species	30 μg/kg 100 μg/kg 100 μg/kg 30 μg/kg	Muscle Fat Liver Kidney	For porcine species the fat MRL relates to 'skin and fat in natural proportions' Not for use in

	animals from which milk is produced for human consumption
ICABLE	For topical use only.
ICABLE	NO ENTRY
у	For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption.
ICABLE	NO ENTRY
ICABLE ICABLE	NO ENTRY
ICABLE	For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations in the products not exceeding one part per thousand only.
ICABLE	NO ENTRY
ICABLE	NO ENTRY
e and fat	NO ENTRY

					consumption
▼B					
Jecoris oleum	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For topical use only.
Juniperi fructus	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY
Kanamycin	Kanamycin A	All food producing species except fin fish	100 μg/kg 100 μg/kg 600 μg/kg 2 500 μg/kg 150 μg/kg	Muscle Fat Liver Kidney Milk	For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption.
Ketamine	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY
Ketanserin tartrate	NOT APPLICABLE	Equidae	No MRL required	NOT APPLICABLE	NO ENTRY
Ketoprofen	NOT APPLICABLE	Bovine, porcine, <i>Equidae</i>	No MRL required	NOT APPLICABLE	NO ENTRY
Lachnanthes tinctoria	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations in the products not exceeding one part per thousand only.
Lactic acid	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY
Lanolin	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY
▼ M10					
Lasalocid	Lasalocid A	Poultry	20 μg/kg	Muscle	NO ENTRY
			100 μg/kg	Skin and fat	
			100 μg/kg	Liver	
			50 μg/kg	Kidney	
			150 μg/kg	Eggs	

		Bovine	10 μg/kg 20 μg/kg 100 μg/kg 20 μg/kg	Muscle Fat Liver Kidney	Not for use in animals from which milk is produced for human consumption
▼B Lauri folii aetheroleum	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY
Lauri fructus	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY
Lavandulae aetheroleum	NOT APPLICABLE	All food producing species		NOT APPLICABLE	For topical use only.
Lecirelin	NOT APPLICABLE	Bovine, <i>Equidae</i> , rabbit	No MRL required	NOT APPLICABLE	NO ENTRY
Lectin extracted from red kidney beans <i>Phaseolus vulgaris</i>		Porcine	No MRL required	NOT APPLICABLE	For oral use only.
Lespedeza capitata	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY
Leucine	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY
Levamisole	Levamisole	Bovine, ovine, porcine, poultry	10 μg/kg 10 μg/kg 100 μg/kg 10 μg/kg	Muscle Fat Liver Kidney	For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which milk or eggs are produced for human consumption.
Levomethadone	NOT APPLICABLE	Equidae	No MRL required	NOT APPLICABLE	For intravenous use only.
Levothyroxine	NOT APPLICABLE	All mammalian food producing species		NOT APPLICABLE	NO ENTRY
Lidocaine	NOT APPLICABLE	Equidae	No MRL required	NOT APPLICABLE	For local- regional anaesthesia only.
Lincomycin	Lincomycin	All food- producing species	100 μg/kg 50 μg/kg 500 μg/kg 1 500 μg/kg 150 μg/kg 50 μg/kg	Muscle Fat Liver Kidney Milk Eggs	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for fat,

liver and kidney do not apply to fin fish.

For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'.

Linear alkyl benzene NOT APPLICABLE

sulphonic acids with alkyl chain lengths ranging from C_9 to C_{13} , containing less than 2,5 % of chains longer than C₁₃

Bovine, No MRL NOT For topical use

ovine APPLICABLE only. required

Lini oleum

NOT APPLICABLE

food No MRL NOT NO ENTRY

producing required **APPLICABLE**

species

Lobaria pulmonaria **NOT APPLICABLE** ΑII MRL NOT food No

producing required species

APPLICABLE homeopathic

veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding to the mother tincture and dilutions thereof

use

only.

For

Lobeline **NOT APPLICABLE**

food No

MRL NOT

NO ENTRY

NO ENTRY

NO ENTRY

required producing

species

APPLICABLE

▼M42

Lufenuron Lufenuron

LH from all

species and their synthetic

(RS-isomers)

Luteinising

analogues)

Magnesium

(natural

Lysine

(RS-isomers)

hormone NOT APPLICABLE

NOT APPLICABLE

NOT APPLICABLE

Muscle and NO ENTRY Fin fish 1 350 µg/kg

in

skin natural

proportions

▼B

Luprostiol **NOT APPLICABLE** ΑII No MRL NOT

APPLICABLE

food producing

species

food No

mammalian required

MRL NOT **NO ENTRY**

producing required APPLICABLE

species

ΑII food No MRL NOT NO ENTRY

producing required **APPLICABLE**

species

food No MRL NOT

APPLICABLE producing required

species

NOT APPLICABLE MRL NOT Magnesium acetate food No NO ENTRY

> **APPLICABLE** producing required

species

 $http://eur-lex.europa.eu/legal-content/EN/TXT/?qid=1416970102469 \& uri=CELEX:02010R0037-20141112[2014-11-26\ 10:52:24]$

Magnesium silicate	aluminium	NOT APPLICABL	Ē	All produc specie	_	No required	MRL I	NOT APPLICABLE	NO E	NTRY	
Magnesium aspa	artate	NOT APPLICABL	Ē	All product specie	_	No required		NOT APPLICABLE	NO E	NTRY	
Magnesium carb	onate	NOT APPLICABL	Ē	All product specie	_	No required	MRL I	NOT APPLICABLE	NO E	NTRY	
Magnesium chlor	ride	NOT APPLICABL	Ē	All product specie	_	No required		NOT APPLICABLE	NO E	NTRY	
Magnesium citra	te	NOT APPLICABL	Ē	All product specie	_	No required		NOT APPLICABLE	NO E	NTRY	
Magnesium gluce	onate	NOT APPLICABL	Ē	All product species	_	No required		NOT APPLICABLE	NO E	NTRY	
Magnesium gluta	amate	NOT APPLICABL	Ē	All product species		No required		NOT APPLICABLE	NO E	NTRY	
Magnesium glycerophosphat	e	NOT APPLICABL	Ē	All product species	_	No required	MRL I	NOT APPLICABLE	NO E	NTRY	
Magnesium hydr	oxide	NOT APPLICABL	Ē	All product specie	_	No required		NOT APPLICABLE	NO E	NTRY	
Magnesium hypo	phosphite	NOT APPLICABL	Ē	All product specie	_	No required		NOT APPLICABLE	NO E	NTRY	
Magnesium orota	ate	NOT APPLICABL	Ξ	All product specie	_	No required	MRL I	NOT APPLICABLE	NO E	NTRY	
Magnesium oxide	е	NOT APPLICABL	Ē	All product specie	_	No required		NOT APPLICABLE	NO E	NTRY	
Magnesium phos	sphate	NOT APPLICABL	Ē	All product species	_	No required		NOT APPLICABLE	NO E	NTRY	
Magnesium stea	rate	NOT APPLICABL	Ξ	All product specie	_	No required		NOT APPLICABLE	NO E	NTRY	
Magnesium sulpl	hate	NOT APPLICABL	Ē	All product specie	_	No required		NOT APPLICABLE	NO E	NTRY	
Magnesium trisili	cate	NOT APPLICABL		All product specie	_	No required		NOT APPLICABLE	NO E	NTRY	
Majoranae herba	1	NOT APPLICABL	E	All produc specie	_	No required		NOT APPLICABLE	NO E	NTRY	
Malic acid		NOT APPLICABL	E	All produc specie	_	No required		NOT APPLICABLE	For excip	use ient.	as
▼M30											

Manganese carbonate	NOT APPLICABLE	All food producing species		NOT APPLICABLE	NO ENTRY
▼B					
Manganese chloride	NOT APPLICABLE	All food producing species		NOT APPLICABLE	For oral use only.
Manganese gluconate	NOT APPLICABLE	All food producing species		NOT APPLICABLE	For oral use only.
Manganese glycerophosphate	NOT APPLICABLE	All food producing species		NOT APPLICABLE	For oral use only.
Manganese oxide	NOT APPLICABLE	All food producing species		NOT APPLICABLE	For oral use only.
Manganese pidolate	NOT APPLICABLE	All food producing species		NOT APPLICABLE	For oral use only.
Manganese ribonucleate	NOT APPLICABLE	All food producing species		NOT APPLICABLE	For oral use only.
Manganese sulphate	NOT APPLICABLE	All food producing species		NOT APPLICABLE	For oral use only.
Mannitol	NOT APPLICABLE	All food producing species		NOT APPLICABLE	NO ENTRY
		•			
Marbofloxacin	Marbofloxacin	Bovine, porcine	150 μg/kg 50 μg/kg 150 μg/kg 150 μg/kg	Muscle Fat Liver Kidney	For porcine species the fat MRL relates to 'skin and fat in natural
Marbofloxacin	Marbofloxacin		50 μg/kg 150 μg/kg	Fat Liver	species the fat MRL relates to
	Marbofloxacin NOT APPLICABLE	porcine	50 μg/kg 150 μg/kg 150 μg/kg 75 μg/kg	Fat Liver Kidney	species the fat MRL relates to 'skin and fat in natural
<i>Matricaria recutita</i> and		Bovine All food producing	50 μg/kg 150 μg/kg 150 μg/kg 75 μg/kg No MRL required	Fat Liver Kidney Milk NOT	species the fat MRL relates to 'skin and fat in natural proportions'.
Matricaria recutita and preparations thereof	NOT APPLICABLE	Bovine All food producing species All food producing species Ovine, caprine,	50 μg/kg 150 μg/kg 150 μg/kg 75 μg/kg No MRL required	Fat Liver Kidney Milk NOT APPLICABLE	species the fat MRL relates to 'skin and fat in natural proportions'. NO ENTRY
Matricaria recutita and preparations thereof Matricariae flos	NOT APPLICABLE NOT APPLICABLE Sum of mebendazole methyl (5-(1-hydroxy, 1-phenyl) methyl-1H-benzimidazol-2-yl) carbamate and (2-amino-1H-benzimidazol-5-yl) phenylmethanone, expressed as	Bovine All food producing species All food producing species Ovine, caprine,	50 μg/kg 150 μg/kg 150 μg/kg 75 μg/kg No MRL required No MRL required 60 μg/kg 60 μg/kg 400 μg/kg 60 μg/kg	Fat Liver Kidney Milk NOT APPLICABLE NOT APPLICABLE Muscle Fat Liver	species the fat MRL relates to 'skin and fat in natural proportions'. NO ENTRY NO ENTRY Not for use in animals from which milk is produced for human consumption. For intrauterine
Matricaria recutita and preparations thereof Matricariae flos Mebendazole	NOT APPLICABLE Sum of mebendazole methyl (5-(1-hydroxy, 1-phenyl) methyl-1H-benzimidazol-2-yl) carbamate and (2-amino-1H-benzimidazol-5-yl) phenylmethanone, expressed as mebendazole equivalents NOT APPLICABLE	Bovine All food producing species All food producing species Ovine, caprine, Equidae	50 μg/kg 150 μg/kg 150 μg/kg 75 μg/kg No MRL required No MRL required 60 μg/kg 60 μg/kg 400 μg/kg 60 μg/kg No MRL required No MRL required	Fat Liver Kidney Milk NOT APPLICABLE NOT APPLICABLE Muscle Fat Liver Kidney NOT	species the fat MRL relates to 'skin and fat in natural proportions'. NO ENTRY NO ENTRY Not for use in animals from which milk is produced for human consumption. For intrauterine use only. For topical use
Matricaria recutita and preparations thereof Matricariae flos Mebendazole Mecillinam	NOT APPLICABLE Sum of mebendazole methyl (5-(1-hydroxy, 1-phenyl) methyl-1H-benzimidazol-2-yl) carbamate and (2-amino-1H-benzimidazol-5-yl) phenylmethanone, expressed as mebendazole equivalents NOT APPLICABLE	Bovine All food producing species All food producing species Ovine, caprine, Equidae Bovine All food producing	50 μg/kg 150 μg/kg 150 μg/kg 75 μg/kg No MRL required No MRL required 60 μg/kg 60 μg/kg 400 μg/kg 60 μg/kg Wo MRL required No MRL required No MRL required	Fat Liver Kidney Milk NOT APPLICABLE NOT APPLICABLE Muscle Fat Liver Kidney NOT APPLICABLE	species the fat MRL relates to 'skin and fat in natural proportions'. NO ENTRY NO ENTRY Not for use in animals from which milk is produced for human consumption. For intrauterine use only. For topical use only.

Melissae aetheroleum	NOT APPLICABLE	All food No MRL I producing required A species		NOT APPLICABLE	NO ENTRY
Melissae folium	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY
Meloxicam	Meloxicam	Bovine, caprine, porcine, rabbit, Equidae	20 μg/kg 65 μg/kg 65 μg/kg	Muscle Liver Kidney	NO ENTRY
		Bovine, caprine	15 μg/kg	Milk	
Menadione	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY
Menbutone	NOT APPLICABLE	Bovine, ovine, caprine, porcine, Equidae	No MRL required	NOT APPLICABLE	NO ENTRY
Menthae arvensis aetheroleum	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY
Menthae piperitae aetheroleum	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY
Menthol	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY
Mepivacaine	NOT APPLICABLE	Equidae	No MRL required	NOT APPLICABLE	For intra-articular and epidural use as local anaesthetic only.
Mercaptamine hydrochloride	NOT APPLICABLE	All mammalian food producing species		NOT APPLICABLE	NO ENTRY
Metamizole	4-Methylaminoantipyrin	Bovine, porcine, Equidae Bovine	100 μg/kg 100 μg/kg 100 μg/kg 100 μg/kg 50 μg/kg	Muscle Fat Liver Kidney Milk	For porcine species the fat MRL relates to 'skin and fat in natural proportions'.
Methionine	NOT APPLICABLE	All food producing species		NOT APPLICABLE	NO ENTRY
Methyl nicotinate	NOT APPLICABLE	Bovine, <i>Equidae</i>	No MRL required	NOT APPLICABLE	For topical use only.
Methyl salicylate	NOT APPLICABLE	All food producing species except fin fish	required	NOT APPLICABLE	For topical use only.
Methylbenzoate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY

▼M12						
Methylprednisolone	Methylprednisolone	Bovine	10 μg/kg	Muscle		
			10 μg/kg	Fat		
			10 μg/kg	Liver		
			10 μg/kg	Kidney		
			2 μg/kg	Milk		
▼B						
1-Methyl-2-pyrrolidone	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	
Millefolii herba	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	
Mineral hydrocarbons, low to high viscosity including micorcristalline waxes, approximately C10-C60, aliphatic, branched aliphatic and alicyclic compounds	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	Excludes aromatic unsaturated compounds.	and
▼M23						
Monensin	Monensin A	Bovine	2 μg/kg	Muscle	NO ENTRY	
			10 μg/kg	Fat		
			50 μg/kg	Liver		
			10 μg/kg	Kidney		
			2 μg/kg	Milk		
▼M26						
Monepantel	Monepantel-sulfone	Ovine,	700 μg/kg	Muscle		
		caprine	7 000 μg/kg	Fat		
			5 000 μg/kg	Liver		
			2 000 μg/kg	Kidney		
			170 μg/kg	Milk		
▼B						
Monothioglycerol	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	
Montanide	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	
Morantel	Sum of residues which may be hydrolysed to N-methyl-1,3-propanediamine and expressed as morantel equivalents	All ruminants	100 μg/kg 100 μg/kg 800 μg/kg 200 μg/kg 50 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	
Moxidectin	Moxidectin	Bovine, ovine, <i>Equidae</i>	50 μg/kg 500 μg/kg 100 μg/kg 50 μg/kg	Muscle Fat Liver Kidney	NO ENTRY	
		Bovine,	40 μg/kg	Milk		

		ovine			
Myglyol	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY
Myristicae aetheroleum	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use in newborn animals only.
Nafcillin	Nafcillin	All ruminants	300 μg/kg 300 μg/kg 300 μg/kg 300 μg/kg 30 μg/kg	Muscle Fat Liver Kidney Milk	For intramammary use only.
Natamycin	NOT APPLICABLE	Bovine, Equidae	No MRL required	NOT APPLICABLE	For topical use only.
▼M29 Neomycin (including framycetin)	Neomycin B	All food producing species	500 μg/kg 500 μg/kg 5 500 μg/kg 9 000 μg/kg 1 500 μg/kg 500 μg/kg	Muscle Fat Liver Kidney Milk Eggs	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'
Neostigmine	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY
Netobimin	Sum of albendazole oxide, albendazole sulphone, and albendazole 2-amino sulphone, expressed as albendazole		100 μg/kg 100 μg/kg 1 000 μg/kg 500 μg/kg 100 μg/kg	Muscle Fat Liver Kidney Milk	For oral use only.
Nickel gluconate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY
Nickel sulphate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY
Nicoboxil	NOT APPLICABLE	Equidae	No MRL required	NOT APPLICABLE	For topical use only.
▼M14 Nitroxinil	Nitroxinil	Bovine, ovine	400 μg/kg 200 μg/kg 20 μg/kg 400 μg/kg 20 μg/kg	Muscle Fat Liver Kidney Milk	

▼B						
Nonivamide	NOT APPLICABLE	Equidae	No MRL required	NOT APPLICABLE	For topical use only	
Norgestomet	Norgestomet	Bovine	0,2 μg/kg 0,2 μg/kg 0,2 μg/kg 0,2 μg/kg 0,12 μg/kg	Muscle Fat Liver Kidney Milk	For therapeutic and zootechnical purposes only.	
Novobiocin	Novobiocin	Bovine	50 μg/kg	Milk	For intramammary use only.	
	NOT APPLICABLE	Bovine		NOT APPLICABLE	NO ENTRY	
▼M11						
Octenidine dihydrochloride	NOT APPLICABLE	All mammalian food- producing species		NOT APPLICABLE	For cutaneous use only.	
▼B						
17β-Oestradiol	NOT APPLICABLE	All mammalian food producing species		NOT APPLICABLE	For therapeutic and zootechnical use only.	
Okoubaka aubrevillei	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding to the mother tincture and dilutions thereof only.	
Oleyloleate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For topical use only.	
Omeprazole	NOT APPLICABLE	Equidae	No MRL required	NOT APPLICABLE	For oral use only.	
Orgotein	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	
Ornithine	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	
Orotic acid	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	
Oxacillin	Oxacillin	All food producing	300 μg/kg 300 μg/kg	Muscle Fat	For fin fish the muscle MRL	

		species	300 μg/kg 300 μg/kg 30 μg/kg	Liver Kidney Milk	relates to 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption.
Oxalic acid	NOT APPLICABLE	Bees	No MRL required	NOT APPLICABLE	NO ENTRY
Oxfendazole	Sum of extractable residues which may be oxidised to oxfendazole sulphone	All ruminants, porcine, Equidae All ruminants	50 μg/kg 50 μg/kg 500 μg/kg 50 μg/kg 10 μg/kg	Muscle Fat Liver Kidney Milk	For porcine species the fat MRL relates to 'skin and fat in natural proportions'.
Oxibendazole	Oxibendazole	Porcine	100 μg/kg 500 μg/kg 200 μg/kg 100 μg/kg	Muscle Skin and fat Liver Kidney	NO ENTRY
Oxidation products of Terebinthinae oleum	NOT APPLICABLE	Bovine, ovine, caprine, porcine	No MRL required	NOT APPLICABLE	NO ENTRY
Oxolinic acid	Oxolinic acid	All food producing species	100 μg/kg 50 μg/kg 150 μg/kg 150 μg/kg	Muscle Fat Liver Kidney	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which milk or eggs are produced for human consumption.
Oxyclozanide	Oxyclozanide	All ruminants	20 μg/kg 20 μg/kg	Muscle Fat	NO ENTRY

				500 μg/kg 100 μg/kg 10 μg/kg	Liver Kidney Milk	
Oxytetracycline		Sum of parent drug and its 4-epimer	All food- producing species	100 μg/kg 300 μg/kg 600 μg/kg 100 μg/kg 200 μg/kg	Muscle Liver Kidney Milk Eggs	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. C1 MRLs for liver and kidney do not apply to fin fish.
Oxytocin		NOT APPLICABLE	All mammalian food producing species	No MRL required	NOT APPLICABLE	NO ENTRY
Pancreatin		NOT APPLICABLE	All mammalian food producing species		NOT APPLICABLE	For topical use only.
Papain		NOT APPLICABLE	All food producing species		NOT APPLICABLE	NO ENTRY
Papaverine		NOT APPLICABLE	Bovine	No MRL required	NOT APPLICABLE	Newborn calves only.
Paracetamol		NOT APPLICABLE	Porcine	No MRL required	NOT APPLICABLE	For oral use only.
Parconazole		NOT APPLICABLE	Guinea fowl	No MRL required	NOT APPLICABLE	NO ENTRY
Paromomycin		Paromomycin	All food producing species	500 μg/kg 1 500 μg/kg 1 500 μg/kg	Muscle Liver Kidney	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for liver and kidney do not apply to fin fish. Not for use in animals from which milk or eggs are produced for human consumption.
Peforelin ▼M15		NOT APPLICABLE	Porcine	No MRL required	NOT APPLICABLE	NO ENTRY
Pegylated granulocyte stimulating factor	colony	NOT APPLICABLE	Bovine	No MRL required	NOT APPLICABLE	NO ENTRY
▼B Penethamate		Benzylpenicillin	All	50 μg/kg	Muscle	For porcine

		mammalian food producing species	50 μg/kg 50 μg/kg 50 μg/kg 4 μg/kg	Fat Liver Kidney Milk	species the fat MRL relates to 'skin and fat in natural proportions'.
Pepsin	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY
Peracetic acid	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY
Permethrin	Permethrin (sum of isomers)	Bovine	50 μg/kg 500 μg/kg 50 μg/kg 50 μg/kg 50 μg/kg	Muscle Fat Liver Kidney Milk	For milk further provisions in Commission Directive 98/82/EC are to be observed.
Phenol	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY
▼ M8					
Phenoxymethylpenicillin	Phenoxymethylpenicillin	Porcine	25 μg/kg	Muscle	NO ENTRY
			25 μg/kg	Liver	
			25 μg/kg	Kidney	
		Poultry	25 μg/kg	Muscle	
			25 μg/kg	Skin and fat	
			25 μg/kg	Liver	
			25 μg/kg	Kidney	
			25 μg/kg	Eggs	
▼B					
Phenylalanine	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY
Phloroglucinol	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY
▼M21		A.I. 6 I	05 "		
Phoxim ▼B	Phoxim	All food- producing species except fin fish.	25 μg/kg 550 μg/kg 50 μg/kg 30 μg/kg 60 μg/kg	Muscle Fat Liver Kidney Eggs	For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which milk is produced for human consumption.
Phytolacca americana	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use in homeopathic veterinary medicinal products

prepared according to homeopathic pharmacopoeias, at concentrations in the products not exceeding one part per thousand only.

					one part thousand only	
Phytomenadione	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	
Piceae turiones recentes extractum	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For oral use o	only.
Piperazine	Piperazine	Porcine	400 μg/kg 800 μg/kg 2 000 μg/kg 1 000 μg/kg	Muscle Skin and fat Liver Kidney	NO ENTRY	
		Chicken	2 000 μg/kg	Eggs		
Piperazine dihydrochloride	NOT APPLICABLE	Chicken		NOT APPLICABLE	NO ENTRY	
Piperonyl butoxide	NOT APPLICABLE	Bovine, ovine, caprine, <i>Equidae</i>	No MRL required	NOT APPLICABLE	For topical only.	use
Pirlimycin	Pirlimycin	Bovine	100 μg/kg 100 μg/kg 1 000 μg/kg 400 μg/kg 100 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	
Policresulen	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For topical only.	use
Poloxalene	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	
Poloxamer	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	
Polyethylene glycol 15 hydroxystearate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use excipient.	as
Polyethylene glycol 7 glyceryl cocoate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For topical only.	use
Polyethylene glyco stearates with 8-40 oxyethylene units	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use excipient.	as
Polyethylene glycols (molecular weight ranging from 200 to 10 000)	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	
Polyoxyethylene sorbitar monooleate and trioleate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	

Polyoxyl castor oil with 30 to 40 oxyethylene units	NOT APPLICABLE	All produc specie	_	No required		NOT APPLICABLE	For use excipient.	as
Polyoxyl hydrogenated castor oil with 40 to 60 oxyethylene units	NOT APPLICABLE	All produc specie	_	No required		NOT APPLICABLE	For use excipient.	as
Polysorbate 80	NOT APPLICABLE	All produc specie	_	No required		NOT APPLICABLE	NO ENTRY	
Polysulphated glycosaminoglycan	NOT APPLICABLE	Equida	ae	No required		NOT APPLICABLE	NO ENTRY	
Potassium DL-aspartate	NOT APPLICABLE	All produc specie	_	No required		NOT APPLICABLE	NO ENTRY	
Potassium glucuronate	NOT APPLICABLE	All produc specie	_	No required		NOT APPLICABLE	NO ENTRY	
Potassium glycerophosphate	NOT APPLICABLE	All produc specie	_	No required		NOT APPLICABLE	NO ENTRY	
Potassium nitrate	NOT APPLICABLE	All produc specie	_	No required		NOT APPLICABLE	NO ENTRY	
Potassium selenate	NOT APPLICABLE	All produc specie	_	No required		NOT APPLICABLE	NO ENTRY	
Praziquantel	NOT APPLICABLE	Ovine, Equida		No required		NOT APPLICABLE	NO ENTRY	
▼ M27								
Prednisolone	Prednisolone	Bovine)	4 μg/kg		Muscle	NO ENTRY	
				4 μg/kg		Fat		
				10 μg/kg	9	Liver		
				10 μg/kg		Kidney		
				6 μg/kg		Milk		
		Equida	ae	4 μg/kg		Muscle		
				8 µg/kg		Fat		
				6 μg/kg		Liver		
				15 μg/kg)	Kidney		
▼B								
Pregnant mare serum gonadotrophin	NOT APPLICABLE	All produc specie	_	No required		NOT APPLICABLE	NO ENTRY	
Prethcamide (crotethamide and cropropamide)	NOT APPLICABLE	All mamm food product specie	ing	No required		NOT APPLICABLE	NO ENTRY	
Procaine	NOT APPLICABLE	All produc specie	_	No required		NOT APPLICABLE	NO ENTRY	
Progesterone	NOT APPLICABLE	Bovine, caprine	•	No required		NOT APPLICABLE	Only intravaginal therapeutic	for or

		Equidae (female)		zootechnical use and in accordance with the provisions of Directive 96/22/EC.
Proline	NOT APPLICABLE	All food No Mi producing required species	RL NOT APPLICABLE	NO ENTRY
Propane	NOT APPLICABLE	All food No Mi producing required species	RL NOT APPLICABLE	NO ENTRY
Propylene glycol	NOT APPLICABLE	All food No Mi producing required species	RL NOT APPLICABLE	NO ENTRY
Prunus laurocerasus	NOT APPLICABLE	All food No Mi producing required species	RL NOT APPLICABLE	For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations in the products not exceeding one part per thousand only.
Pyrantel embonate	NOT APPLICABLE	Equidae No Mi required	RL NOT APPLICABLE	NO ENTRY
Pyrethrum extract	NOT APPLICABLE	All food No Mi producing required species	RL NOT APPLICABLE	For topical use only.
2-Pyrrolidone	NOT APPLICABLE	All food No Mi producing required species		At parenteral doses up to 40 mg/kg bw.
Quatresin	NOT APPLICABLE	All food No Mi producing required species	RL NOT APPLICABLE	For use as preservative only at concentrations of up to 0,5 %.
Quercus cortex	NOT APPLICABLE	All food No Mi producing required species	RL NOT APPLICABLE	NO ENTRY
Quillaia saponins	NOT APPLICABLE	All food No Mi producing required species	RL NOT APPLICABLE	NO ENTRY
▼M39 Rafoxanide	Rafoxanide	Bovine 30 μg/kg	Muscle	NO ENTRY
Nationalities	. Caronal lide	30 μg/kg	Fat	NO ENTIN
		10 μg/kg	Liver	
		40 μg/kg	Kidney	
		Ovine 100 µg/kg	Muscle	
		250 μg/kg	Fat	
		150 µg/kg	Liver	
		150 µg/kg	Kidney	

▼B		Bovine, ovine	10 μg/kg	Milk	Provisional MRL shall expire on 31 December 2015
Rhei radix, standardised extracts and preparations thereof		All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY
Ricini oleum	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use as excipient.
Rifaximin	Rifaximin	Bovine	60 μg/kg	Milk	NO ENTRY
	NOT APPLICABLE	Bovine			For intramammary use, except if the udder may be used as food for human consumption, and intrauterine use only.
		All mammalian food producing species		NOT APPLICABLE	For topical use only.
Romifidine	NOT APPLICABLE	Equidae	No MRL required	NOT APPLICABLE	For therapeutic uses only.
Rosmarini aetheroleum	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY
Rosmarini folium	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY
Ruscus aculeatus	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For topical use only.
Ruta graveolens	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias, at concentrations in the products not exceeding one part per thousand only. Not for use in animals from which milk is produced for human consumption.
Salicylic acid	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For topical use only.

			except fish	fin			
Salvia	e folium	NOT APPLICABLE	All produci species		No MRI required	NOT APPLICABLE	NO ENTRY
Samb	uci flos	NOT APPLICABLE	All produci species		No MRI required	NOT APPLICABLE	NO ENTRY
Sarafle	oxacin	Sarafloxacin	Chicker	n	10 μg/kg 100 μg/kg	Skin and fat Liver	Not for use in animals from
			Salmon	nidae	30 μg/kg	Muscle and skin in natural proportions	which eggs are produced for human consumption.
Seleni	icereus grandiflorus	NOT APPLICABLE	All produci species		No MRI required	- NOT APPLICABLE	For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias, at concentrations in the products not exceeding one part per hundred only.
Seren	oa repens	NOT APPLICABLE	All produci species	_	No MRI required	- NOT APPLICABLE	For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding to the mother tincture and dilutions thereof only.
Serine	3	NOT APPLICABLE	All produci species	_	No MRI required	NOT APPLICABLE	NO ENTRY
Seroto	onin	NOT APPLICABLE	All produci species		No MRI required	NOT APPLICABLE	NO ENTRY
Silybu	m marianum	NOT APPLICABLE	All produci species		No MRI required	- NOT APPLICABLE	For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding to the mother tincture and

ex	02010R0037-20141112 - EN - EUR-Lex	X					
						dilutions th	ereof
	Sinapis nigrae semen	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	
	Sodium 2-methyl-2- phenoxy-propanoate	NOT APPLICABLE	Bovine, porcine, caprine, Equidae	No MRL required	NOT APPLICABLE	NO ENTRY	
	Sodium acetylsalicylate	NOT APPLICABLE	All food producing species except fin fish	required	NOT APPLICABLE	Not for us animals which milk eggs produced human consumption	from or are for
	Sodium benzyl 4- hydroxybenzoate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	
	Sodium boroformiate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	
	Sodium butyl 4- hydroxybenzoate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	
	Sodium cetostearyl sulphate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For topical only.	use
	Sodium chloride	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	
	Sodium chlorite	NOT APPLICABLE	Bovine		NOT APPLICABLE	For topical only.	use
	Sodium cromoglycate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	
	Sodium dichloroisocyanurate	NOT APPLICABLE	Bovine, ovine, caprine		NOT APPLICABLE	For topical only.	use
	Sodium dioctylsulphosuccinate	NOT APPLICABLE	All food producing species		NOT APPLICABLE	NO ENTRY	
	Sodium formaldehydesulphoxylate	NOT APPLICABLE	All food producing species		NOT APPLICABLE	NO ENTRY	
	Sodium glycerophosphate	NOT APPLICABLE	All food producing species		NOT APPLICABLE	NO ENTRY	
	Sodium hypophosphite	NOT APPLICABLE	All food producing species		NOT APPLICABLE	NO ENTRY	
	Sodium lauryl sulphate	NOT APPLICABLE	All food producing species		NOT APPLICABLE	NO ENTRY	
	Sodium nitrite	NOT APPLICABLE	Bovine	No MRL required	NOT APPLICABLE	For topical only.	use
	0 1:	NOT APPLICABLE	A.I. 6 I	N- MDI	NOT	NO ENTEN	

All

food No MRL NOT

NO ENTRY

NOT APPLICABLE

Sodium propionate

		producing required species	APPLICABLE	
Sodium pyrosulphite	NOT APPLICABLE	All food No M producing required species	RL NOT NO EN APPLICABLE	NTRY
▼M22 Sodium salicylate	NOT APPLICABLE	Bovine, No M porcine required	APPLICABLE Not f anima which produc human	ls from milk is ced for
		All food No M producing required species except fin fish	RL NOT For to APPLICABLE only.	opical use
	Salicylic acid	Turkey 400 μg/kg 2 500 μg/kg 200 μg/kg 150 μg/kg	g Skin and fat anima in natural produc proportions for	for use in ls cing eggs human mption.
▼B				
Sodium selenate	NOT APPLICABLE	All food No No producing required species	RL NOT NO EN APPLICABLE	NTRY
Sodium selenite	NOT APPLICABLE	All food No M producing required species	RL NOT NO EN APPLICABLE	NTRY
Sodium stearate	NOT APPLICABLE	All food No M producing required species	RL NOT NO EN APPLICABLE	NTRY
Sodium thiosulphate	NOT APPLICABLE	All food No M producing required species	RL NOT NO EN APPLICABLE	NTRY
Solidago virgaurea	NOT APPLICABLE	All food No N producing required species	pharm at con corres the tinctur	nary inal cts red ding to opathic nacopoeias centrations sponding to mother
Somatosalm	NOT APPLICABLE	Salmon No No required	RL NOT NO EN APPLICABLE	NTRY
Sorbitan sesquioleate	NOT APPLICABLE	All food No N producing required species	RL NOT NO EN APPLICABLE	NTRY
Sorbitan trioleate	NOT APPLICABLE	All food- No N	RL NOT NO EN	NTRY

		producing species	required	APPLICABLE	
Spectinomycin	Spectinomycin	Ovine	300 μg/kg 500 μg/kg 2 000 μg/kg 5 000 μg/kg 200 μg/kg	Muscle Fat Liver Kidney Milk	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'.
		All other food producing species	300 µg/kg 500 µg/kg 1 000 µg/kg 5 000 µg/kg 200 µg/kg	Muscle Fat Liver Kidney Milk	MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption.
Spiramycin	Sum of spiramycin and neospiramycin	Bovine	200 μg/kg 300 μg/kg 300 μg/kg 300 μg/kg 200 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY
		Chicken	200 μg/kg 300 μg/kg 400 μg/kg	Muscle Skin and fat Liver	Not for use in animals from which eggs are produced for human consumption.
	Spiramycin 1	Porcine	250 μg/kg 2 000 μg/kg 1 000 μg/kg	Muscle Liver Kidney	NO ENTRY
Streptomycin	Streptomycin	All ruminants, porcine, rabbit	500 μg/kg 500 μg/kg 500 μg/kg 1 000 μg/kg	Muscle Fat Liver Kidney	For porcine species the fat MRL relates to 'skin and fat in natural
		All ruminants	200 μg/kg	Milk	proportions'.
Strychni semen	NOT APPLICABLE	Bovine, ovine, caprine	No MRL required		For oral use only at doses up to the equivalent of 0,1 mg strychnine/kg bw.
Strychnine	NOT APPLICABLE	Bovine	No MRL required	NOT APPLICABLE	For oral use only at dose to 0,1 mg/kg bw.
Substances used in homeopathic veterinary medicines	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	All substances used in homeopathic veterinary medicinal products provided that

					their concentration in the product does not exceed one part per ten thousand.
Sulfogaiacol	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY
Sulfonamides (all substances belonging to the sulfonamide group)	Parent drug	producing species	100 μg/kg 100 μg/kg 100 μg/kg 100 μg/kg	Muscle Fat Liver Kidney	The combined total residues of all substances within the sulfonamide group should not
		Bovine, ovine, caprine	100 μg/kg	Milk	exceed 100 µg/kg. For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. Not for use in animals from which eggs are produced for human consumption.
Sulphur	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY
Symphyti radix	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For topical use on intact skin only.
Syzygium cumini	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding to the mother tincture and dilutions thereof only.
Tanninum	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY
L-tartaric acid and its mono- and di-basic salt of sodium, potassium and calcium	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use as excipient.
Tau fluvalinate	NOT APPLICABLE	Bees	No MRL required	NOT APPLICABLE	NO ENTRY

Teflubenzuron	Teflubenzuron	Salmonidae	500 μg/kg	Muscle and skin in natural proportions	NO ENTRY
Terebinthinae aetheroleum rectificatum	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For topical use only.
Terebinthinae laricina	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For topical use only.
Terpin hydrate	NOT APPLICABLE	Bovine, ovine, caprine, porcine	No MRL required	NOT APPLICABLE	NO ENTRY
Tetracaine	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use as anaesthetic only.
Tetracycline	Sum of parent drug and its 4- epimer	All food- producing species	100 μg/kg 300 μg/kg 600 μg/kg 100 μg/kg 200 μg/kg	Muscle Liver Kidney Milk Eggs	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for liver and kidney do not apply to fin fish.
Theobromine	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY
Theophylline	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY
Thiabendazole	Sum of thiabendazole and 5-hydroxythiabendazole	Bovine, caprine	100 μg/kg 100 μg/kg 100 μg/kg 100 μg/kg 100 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY
Thiamphenicol	Thiamphenicol	All food producing species	50 μg/kg 50 μg/kg 50 μg/kg 50 μg/kg 50 μg/kg	Muscle Fat Liver Kidney Milk	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human

consumption.

Thiamylal	NOT APPLICABLE	All mammalian food producing species	No MRL required		For intravenous administration only.
Thioctic acid	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY
Thiomersal	NOT APPLICABLE	All food producing species		APPLICABLE	For use only as preservatives in multidose vaccines at a concentration not exceeding 0,02 %.
Thiopental sodium	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For intravenous administration only.
Threonine	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY
Thuja occidentalis	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias, at concentrations in the products not exceeding one part per hundred only.
Thymi aetheroleum	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY
Thymidine	NOT APPLICABLE	All food producing species		NOT APPLICABLE	NO ENTRY
Thymol	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY
Tiamulin	Sum of metabolites that may be hydrolysed to 8-α-hydroxymutilin	Porcine, rabbit	100 μg/kg 500 μg/kg	Muscle Liver	NO ENTRY
		Chicken	100 μg/kg 100 μg/kg 1 000 μg/kg	Muscle Skin and fat Liver	
		Turkey	100 μg/kg 100 μg/kg 300 μg/kg	Muscle Skin and fat Liver	
	Tiamulin	Chicken	1 000 µg/kg	Eggs	
Tiaprost	NOT APPLICABLE	Bovine, ovine, porcine, Equidae	No MRL required	NOT APPLICABLE	NO ENTRY
▼M35					

Tildipirosin	Tildipirosin	Bovine,	400 μg/kg	Muscle	Not for use in
		caprine	200 μg/kg	Fat	animals from which milk is
			2 000 μg/kg	Liver	produced for human
			3 000 µg/kg	Kidney	consumption.
		Porcine	1 200 µg/kg	Muscle	
			800 μg/kg	Skin and fat in natural proportions	
			5 000 μg/kg	Liver	
			10 000 μg/kg	Kidney	
▼B					
Tiliae flos	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY
Tilmicosin	Tilmicosin	Poultry	75 μg/kg 75 μg/kg 1 000 μg/kg 250 μg/kg	Muscle Skin and fat Liver Kidney	For fin fish the muscle MRL relates to a 'muscle and skin in natural
		All other food producing species	50 μg/kg 50 μg/kg 1 000 μg/kg 1 000 μg/kg 50 μg/kg	Muscle Fat Liver Kidney Milk	proportions'. MRLs for fat, liver and kidney do not apply to fin fish. For porcine species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption.
Tiludronic acid (in the form of disodium salt)	NOT APPLICABLE	Equidae	No MRL required	NOT APPLICABLE	For intravenous
		Poultry	No MRL required	NOT APPLICABLE	For parenteral use only and for use in laying and breeder birds only.
Timerfonate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use only as preservatives in multidose vaccines at a concentration not exceeding 0,02 %.
Toldimfos	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY
Tolfenamic acid	Tolfenamic acid	Bovine, porcine	50 μg/kg 400 μg/kg 100 μg/kg	Muscle Liver Kidney	NO ENTRY
		Bovine	50 μg/kg	Milk	

Toltrazuril	Toltrazuril sulfone	All mammalian food producing species Poultry	100 μg/kg 150 μg/kg 500 μg/kg 250 μg/kg 100 μg/kg 200 μg/kg 600 μg/kg 400 μg/kg	Muscle Fat Liver Kidney Muscle Skin and fat Liver Kidney	For porcine species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which milk is produced for human consumption. Not for use in animals from which eggs are produced for human consumption.
Tosylchloramide sodium	NOT APPLICABLE	Bovine, Equidae	required	NOT APPLICABLE	,
		Fin fish	No MRL required	NOT APPLICABLE	For water-borne use only.
Tragacanth	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY
Tricaine mesilate	NOT APPLICABLE	Fin fish	No MRL required	NOT APPLICABLE	For water borne use only.
Trichlormethiazide	NOT APPLICABLE	All mammalian food producing species		NOT APPLICABLE	NO ENTRY
▼M37					
Triclabendazole	Sum of the extractable residues that may be oxidised to ketotriclabendazole	All ruminants	225 µg/kg 100 µg/kg 250 µg/kg 150 µg/kg 10 µg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY
▼B					
Trimethoprim	Trimethoprim	Equidae	100 μg/kg 100 μg/kg 100 μg/kg 100 μg/kg	Fat Muscle Liver Kidney	For fin fish the muscle MRL relates to a 'muscle and skin in natural
		All other food producing species	50 μg/kg 50 μg/kg 50 μg/kg 50 μg/kg 50 μg/kg	Muscle Fat Liver Kidney Milk	proportions'. MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human

					consumption.
Trimethylphloroglucinol	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY
▼M34 Triptorelin acetate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY
▼B Trypsin	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY
Tryptophan	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY
Tulathromycin	(2R,3S,4R,5R,8R,10R,11R,12S,13S,14R)-2-ethyl-3,4,10,13-tetra-hydroxy-3,5,8,10,12,14-hexamethyl-11-[[3,4,6-trideoxy-3-(dimethy-lamino)-β-D-xylo-	Bovine	100 μg/kg 3 000 μg/kg 3 000 μg/kg	Fat Liver Kidney	Not for use in animals from which milk is produced for
	hexopyranosyl]oxy]-1-oxa-6- azacyclopent-decan-15-one expressed as tulathromycin equivalents	Porcine	100 μg/kg 3 000 μg/kg 3 000 μg/kg	Skin and fat Liver Kidney	human consumption.
Turnera diffusa	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding to the mother tincture and dilutions thereof only.
Tylosin	Tylosin A	All food producing species	100 μg/kg 100 μg/kg 100 μg/kg 100 μg/kg 50 μg/kg 200 μg/kg	Muscle Fat Liver Kidney Milk Eggs	For fin fish the muscle MRL relates to a 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'.
Tylvalosin	Sum of tylvalosin and 3-O-acetyltylosin	Porcine	50 μg/kg 50 μg/kg 50 μg/kg 50 μg/kg	Muscle Skin and fat Liver Kidney	NO ENTRY
		Poultry	50 μg/kg 50 μg/kg	Skin and fat Liver	Not for use in animals from which eggs are

					produced human consumption.	for
Tyrosine	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	
Urea	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	
Urginea maritima	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use homeopathic veterinary medicinal products prepared according homeopathic pharmacopoei at concentration the produnot exceed one part phundred only.	ons icts ling per
Uridine and its 5'-mono-5'- di- and 5'-triphosphates	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	
Urticae herba	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	
Valine	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	
▼ M1						
Valnemulin	Valnemulin	Porcine, rabbit	50 μg/kg 500 μg/kg 100 μg/kg	Muscle Liver Kidney	NO ENTRY	
▼B						
Vedaprofen	Vedaprofen	Equidae	50 μg/kg 20 μg/kg 100 μg/kg 1 000 μg/kg	Muscle Fat Liver Kidney	NO ENTRY	
Vetrabutine hydrochloride	NOT APPLICABLE	Porcine	No MRL required	NOT APPLICABLE	NO ENTRY	
Vincamine	NOT APPLICABLE	Bovine	No MRL required	NOT APPLICABLE	For use newborn anim only.	in als
Virola sebifera	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use homeopathic veterinary medicinal products prepared according homeopathic pharmacopoei at concentration the produnot exceed	ons

		one part per thousand only.
Viscum album	NOT APPLICABLE	All food No MRL NOT For use in producing required APPLICABLE homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding to the mother tincture and dilutions thereof only.
Vitamin A	NOT APPLICABLE	All food- No MRL NOT NO ENTRY producing required APPLICABLE species
Vitamin B1	NOT APPLICABLE	All food No MRL NOT NO ENTRY producing required APPLICABLE species
Vitamin B2	NOT APPLICABLE	All food No MRL NOT NO ENTRY producing required APPLICABLE species
Vitamin B3	NOT APPLICABLE	All food No MRL NOT NO ENTRY producing required APPLICABLE species
Vitamin B5	NOT APPLICABLE	All food No MRL NOT NO ENTRY producing required APPLICABLE species
Vitamin B6	NOT APPLICABLE	All food No MRL NOT NO ENTRY producing required APPLICABLE species
Vitamin B12	NOT APPLICABLE	All food No MRL NOT NO ENTRY producing required APPLICABLE species
Vitamin D	NOT APPLICABLE	All food No MRL NOT NO ENTRY producing required APPLICABLE species
Vitamin E	NOT APPLICABLE	All food No MRL NOT NO ENTRY producing required APPLICABLE species
Wool alcohols	NOT APPLICABLE	All food No MRL NOT For topical use producing required APPLICABLE only. species
Xylazine hydrochloride	NOT APPLICABLE	Bovine, No MRL NOT NO ENTRY Equidae required APPLICABLE
Zinc acetate	NOT APPLICABLE	All food No MRL NOT NO ENTRY producing required APPLICABLE species
Zinc aspartate	NOT APPLICABLE	All food No MRL NOT NO ENTRY producing required APPLICABLE species
Zinc chloride	NOT APPLICABLE	All food No MRL NOT NO ENTRY producing required APPLICABLE species

NOT APPLICABLE ΑII food No MRL NOT NO ENTRY Zinc gluconate producing required **APPLICABLE** species Zinc oleate **NOT APPLICABLE** ΑII food No MRL NOT NO ENTRY producing required APPLICABLE species **NOT APPLICABLE** Zinc oxide ΑII food No MRL NOT NO ENTRY producing required APPLICABLE species MRL NOT **NOT APPLICABLE** Zinc stearate ΑII NO ENTRY food No APPLICABLE producing required species NO ENTRY Zinc sulphate **NOT APPLICABLE** ΑII food No MRL NOT APPLICABLE producing required

Table 2 Prohibited substances

species

MRL Pharmacologically active substance

MRL cannot be established Aristolochia spp. and preparations thereof MRL cannot be established Chloramphenicol

▼M32 -----

▼B

Chlorpromazine MRL cannot be established Colchicine MRL cannot be established Dapsone MRL cannot be established Dimetridazole MRL cannot be established Metronidazole MRL cannot be established MRL cannot be established Nitrofurans (including furazolidone) Ronidazole MRL cannot be established

(1) OJ L 152, 16.6.2009, p. 11.

(²) OJ L 224, 18.8.1990, p. 1.

Top